

INSPIRED BY COMFORT

 **Dometic**  
GROUP

# Dometic Hotel Systems



**Dometic Classic Line miniBars**  
Economic convenience



[www.dometic.com](http://www.dometic.com)



## Dometic Classic Line miniBars


### Economic convenience

Based on absorption cooling technology, Dometic Classic Line miniBars operate completely noiseless and require no maintenance at all. This characteristic implies making your guests extremely comfortable while keeping your service budget low. Thanks to the patented Fuzzy Logic Energy Control you also benefit from drastic energy savings. Regardless of what you prefer – a glass door model or one with a changeable decor panel, a built-in or free-standing version – the anthracite miniBars of the Classic Line blend harmoniously with any interior. Available in four different sizes – 20-, 30-, 40-, or 60-litre class. Dometic means full satisfaction not only for our customers – investors and hotel managers – but also for your discerning guests. With good reasons Dometic has been the partner of the world's leading hotels for more than 45 years now.

- Noiseless absorption cooling technology
- Fuzzy Logic Energy Control for lower energy consumption
- Sensor-based cooling unit control (CUC system)
- Automatic defrost
- Certified according to ISO 9001 and ISO 14001
- In compliance with European Energy Efficiency Regulation 643/2009




Optional extra: LED door opening control system with remote control



Reliable performance: sensor-based cooling unit control (CUC system)



Perfect presentation with energy-saving technology: infrared sensor controlled LED interior light



Fuzzy Logic Energy Control: for optimised temperature management and low operating costs

## RH 423 LDA

### 20 L – standard door

Compact and adaptable: the RH 423 LDA can be used as a free-standing miniBar with 38 mm feet, or fitted into a piece of furniture by detaching the lower part of the feet.



#### Configuration

1 door rack for mini-bottles with adjustable bottle separators  
1 adjustable metal shelf with cut-out for long-neck bottles  
Infrared sensor controlled LED interior light  
38 mm feet (can be reduced to 10 mm)

## RH 423 LDAG

### 20 L – glass door

Enticing insights: the glass door version. The infrared sensor controlled LED casts an attractive light upon the bar offerings. And, of course, the RH 423 LDAG, too, can be used as built-in or free-standing unit.



#### Configuration

1 adjustable metal shelf with cut-out for long-neck bottles  
Infrared sensor controlled LED interior light  
38 mm feet (can be reduced to 10 mm)

#### RH 423 LDA

<b>Capacity</b> (litre class)	20
<b>Dimensions</b> (H x W x D mm)	463 x 422 x 384 (free-standing) 435 x 422 x 384 (built-in)
<b>Energy Consumption</b> (kWh/24 h)	0.70
EN 15502; Following EU Directives 643/2009 and 1060/2010	
<b>Energy Efficiency Index</b> (EEL)	D
<b>Noise Level</b>	0 dB
<b>Cabinet</b>	Built-in or free-standing Anthracite steel cabinet
<b>Door</b>	With sliding hinge or decor panel Magnetic door seal Variable door hinge

#### RH 423 LDAG

<b>Capacity</b> (litre class)	20
<b>Dimensions</b> (H x W x D mm)	463 x 422 x 384 (free-standing) 435 x 422 x 384 (built-in)
<b>Energy Consumption</b> (kWh/24 h)	1.00
EN 15502; Following EU Directives 643/2009 and 1060/2010	
<b>Energy Efficiency Index</b> (EEL)	F
<b>Noise Level</b>	0 dB
<b>Cabinet</b>	Built-in or free-standing Anthracite steel cabinet
<b>Door</b>	Glass door with aluminium frame and magnetic door seal Variable door hinge

#### Options

Lock  
Handle  
Sliding hinge  
LED door opening control system with remote control  
Door decor panel



#### Options

Lock  
Handle  
LED door opening control system with remote control



## RH 439 LD

### 30 L – standard door

Cool convenience in the smallest: about 30 litres cooling capacity for your discerning guests. Shelves and door racks for large and small bottles.



#### Configuration

1 door rack for mini-bottles adjustable in height and depth  
 1 door rack for up to 1.5-litre bottles adjustable in depth  
 Both door racks with adjustable bottle separators  
 2 adjustable metal shelves  
 38 mm feet (can be reduced to 10 mm)  
 Infrared sensor controlled LED interior light

## RH 439 LDAG

### 30 L – glass door

Seductive presentation behind sparkling glass: about 30 litres room for well chilled drinks in bottles and cans. The interior light adds attractive effects. Variable interior for tempting product presentation.



#### Configuration

2 adjustable metal shelves  
 Infrared sensor controlled LED interior light  
 38 mm feet (can be reduced to 10 mm)

#### RH 439 LD

<b>Capacity</b> (litre class)	30
<b>Dimensions</b> (H x W x D mm)	550 x 380 x 434 (free-standing) 522 x 380 x 434 (built-in)
<b>Energy Consumption</b> (kWh/24 h)	0.65
EN 15502; Following EU Directives 643/2009 and 1060/2010	
<b>Energy Efficiency Index</b> (EEI)	D
<b>Noise Level</b>	0 dB
<b>Cabinet</b>	Built-in or free-standing Anthracite steel cabinet
<b>Door</b>	With decor panel or sliding hinge Magnetic door seal Variable door hinge

#### RH 439 LDAG

<b>Capacity</b> (litre class)	30
<b>Dimensions</b> (H x W x D mm)	550 x 380 x 434 (free-standing) 522 x 380 x 434 (built-in)
<b>Energy Consumption</b> (kWh/24 h)	0.92
EN 15502; Following EU Directives 643/2009 and 1060/2010	
<b>Energy Efficiency Index</b> (EEI)	F
<b>Noise Level</b>	0 dB
<b>Cabinet</b>	Built-in or free-standing Anthracite steel cabinet
<b>Door</b>	Glass door with aluminium frame and magnetic door seal Variable door hinge

#### Options

Lock  
 Handle  
 Sliding hinge  
 Additional door rack for small bottles  
 LED door opening control system with remote control



#### Options

Lock  
 Handle  
 LED door opening control system  
 with remote control



## RH 449 LD

### 40 L – standard door

Compact outside, spacious inside: 40-litre-class miniBar with two door racks and two metal shelves. Tall bottles, small bottles, cans – everything has its place and is attractively presented.



#### Configuration

1 door rack for mini-bottles adjustable in height and depth  
 1 door rack for up to 1.5-litre bottles adjustable in depth  
 Both door racks with adjustable bottle separators  
 2 adjustable metal shelves  
 Bottle fingers to fix products in bottom door rack  
 38 mm feet (can be reduced to 10 mm)  
 Infrared sensor controlled LED interior light

## RH 449 LDAG

### 40 L – glass door

Elegant, user-minded design: 40-litre-class miniBar with glass door. Two adjustable metal shelves to display a wide selection of miniBar items. Infrared sensor controlled LED interior light. Variable door hinge as standard.



#### Configuration

2 adjustable metal shelves  
 38 mm feet (can be reduced to 10 mm)  
 Infrared sensor controlled LED interior light

#### RH 449 LD

<b>Capacity</b> (litre class)	40
<b>Dimensions</b> (H x W x D mm)	580 x 422 x 440 (free-standing) 552 x 422 x 440 (built-in)
<b>Energy Consumption</b> (kWh/24 h)	0.70
EN 15502; Following EU Directives 643/2009 and 1060/2010	
<b>Energy Efficiency Index</b> (EEL)	D
<b>Noise Level</b>	0 dB
<b>Cabinet</b>	Built-in or free-standing Anthracite steel cabinet
<b>Door</b>	With decor panel or sliding hinge Magnetic door seal Variable door hinge

#### RH 449 LDAG

<b>Capacity</b> (litre class)	40
<b>Dimensions</b> (H x W x D mm)	580 x 422 x 440 (free-standing) 552 x 422 x 440 (built-in)
<b>Energy Consumption</b> (kWh/24 h)	1.02
EN 15502; Following EU Directives 643/2009 and 1060/2010	
<b>Energy Efficiency Index</b> (EEL)	F
<b>Noise Level</b>	0 dB
<b>Cabinet</b>	Built-in or free-standing Anthracite steel cabinet
<b>Door</b>	Glass door with aluminium frame and magnetic door seal Variable door hinge

#### Options

Lock  
 Handle  
 Sliding hinge  
 Additional door rack for small bottles  
 LED door opening control system with remote control



#### Optionen

Lock  
 Handle  
 LED door opening control system with remote control



## RH 548 LD

40 L – standard door

The new 40-litre-class miniBar in the Dometic Classic Line. Replacement model with matching outside dimensions to old 40 litre minibars.



### Configuration

- 1 door rack for mini-bottles with bottle separators adjustable in height
- 1 door rack for bottles and cans adjustable in depth
- 1 adjustable plastic shelf
- 8 mm feet (for built-in and free-standing)
- Infrared sensor controlled LED interior light

### RH 548 LD

<b>Capacity</b> (litre class)	40
<b>Dimensions</b> (H x W x D mm)	554 x 401 x 446
<b>Energy Consumption</b> (kWh/24 h)	0.75
EN 15502; Following EU Directives 643/2009 and 1060/2010	
<b>Energy Efficiency Index</b> (EEL)	D
<b>Noise Level</b>	0 dB
<b>Cabinet</b>	Anthracite steel cabinet
<b>Door</b>	With decor panel or sliding hinge Magnetic door seal Variable door hinge

Direct replacement for:  
RH 440/340/448/237/137/437  
RA 138 A



### Options

- Lock
- Sliding hinge
- Additional door rack for mini-bottles with separators

## RH 569 LD

60 L – standard door

The new 60 liter class miniBar in the Dometic classic line range. More than enough space to display a wide selection of minibar items.



### Configuration

- 1 door rack for mini-bottles with bottle separators adjustable in height
- 1 door rack for up to 1.5-litre bottles, adjustable in depth
- 2 adjustable metal shelves
- Bottle fingers to fix products in bottom door rack
- 8 mm feet (for built-in and free-standing)
- Infrared sensor controlled LED interior light

### RH 569 LD

<b>Capacity</b> (litre class)	60
<b>Dimensions</b> (H x W x D mm)	560 x 486 x 484
<b>Energy Consumption</b> (kWh/24 h)	0.85
EN 15502; Following EU Directives 643/2009 and 1060/2010	
<b>Energy Efficiency Index</b> (EEL)	E
<b>Noise Level</b>	0 dB
<b>Cabinet</b>	Anthracite steel cabinet
<b>Door</b>	With decor panel or sliding hinge Magnetic door seal Variable door hinge

### Options

- Lock
- Handle
- Sliding hinge
- Additional door rack for mini-bottles with separators





## Dometic miniBars

### How to provide proper ventilation

**Correct ventilation is essential for the proper cooling performance of a built-in miniBar.**


During the cooling process heat is generated at the condenser fins on the rear of the unit, which must be dissipated to the outside with sufficient airflow.

If there is not enough space for the air to leave, the cooling performance will drop down and the energy consumption will


rise. Inadequate ventilation can also impair the miniBar's longevity.

**To get the best performance the miniBar needs at least 200 cm<sup>2</sup> free air inlet and this space should be kept until the air outlet.**

Behind the rear border part please leave a minimum distance of 20 mm to the furniture wall.



Sufficient ventilation can be accomplished even in furniture that reaches higher up. For cooling purposes, the air needs to flow freely around the cooling unit and exit unhindered at the top.



An air grille integrated in the furniture door ensures sufficient ventilation. Both miniBar and furniture door can be connected via a sliding hinge which opens furniture and miniBar door simultaneously.



**Dometic GROUP** is a customer-driven, world-leading provider of leisure products for the RV, automotive, truck and marine markets. We supply the industry and aftermarket with a complete range of air conditioners, refrigerators, awnings, cookers, sanitation systems, lighting, mobile power equipment, comfort and safety solutions, windows, doors and other equipment that make life more comfortable away from home.

Dometic GROUP supplies a wide range of workshop equipment for service and maintenance of built-in air conditioners.

Dometic GROUP also provides specially designed refrigerators for hotel rooms, offices, wine storage and transport and storage of medical products.

Our products are sold in almost 100 countries and are produced mainly in wholly-owned production facilities around the world.

## **Dometic. The Satisfaction Network.**

Find addresses of all Sales Companies and Distributors:

[www.dometic.com/lodgingsupport](http://www.dometic.com/lodgingsupport)

Your dealer: