

JVD. PRODUCTS THAT CARE

Hygiene, health, wellness and more... For more than 35 years, JVD has been designing, inventing, testing, developing and manufacturing products whose sole purpose is to take care of you, your employees, your customers and your visitors.

Taking care is so deeply rooted in our culture that we also take care to protect our environment by emphasizing eco-design, being environmentally responsible and prioritizing local partners and suppliers.

This care-taking mission, so near and dear to our hearts, is expressed through our creation of products dedicated to current and future uses, and designed to last.

JVD. Products that care.





ALL THE QUALITY OF FRENCH-MADE PRODUCTS

Based in Nantes, in the west of France, JVD is the leading designer and manufacturer of hygiene and hotel equipment solutions.

Backed by our unique know-how, our company has now expanded into more than 100 countries around the world.





But in spite of our international reach, JVD is still a local business. Most of our products are manufactured from end to end at our site near Nantes, in direct collaboration with our Engineering Department. Our in-house R&D team continuously develops new solutions to put innovation to work for the well-being of all their users.



JVD, MORE ENGAGED THAN EVER

ASSOCIATION EAU & VIE

Eau & Vie, a French NGO founded in 2008, was born out of the desire to sustainably improve the living conditions of the most disavantaged populations.

Eau & Vie is a public utility association of international solidarity that works to strengthen the autonomy of populations by providing then with access to water and by providing them with knowledge on the importance of hygiene on a daily basis.

A COMMON MISSION

For more than 35 years, JVD has been committed to a healthier world. It is therefore only natural that we join the Eau & Vie association in its fight for permanent access to quality running water and the development of collective awareness about the importance of hygiene in deprived urban neighbourhoods.

We also wanted to contribute to the dissemination of our values by engaging our clients in this common perspective. Therefore, we have joined forces with the Eau & Vie association and set up a partnership to fight for access to running water for all.



2.2 BILLION

people do not have acces to drinking water

3 AREAS

of interventions across the country: Cavite, Taunauan and Mandaue-Cebu.

19 SLUMS

benefit from running water at home, hygiene awareness and training in fire prevention and emergency plans thanks to the Eau & Vie association.



INITIATIVE
1 HAND DRYER*
= HYGIENE
KIT
GIVEN AWAY

* FOR EACH HAND DRYER FROM THE AIR RANGE (EXP'AIR, STELL'AIR, COPT'AIR AND SUP'AIR) PURCHASED

OUR COLLECTIONS



JVD offers a broad selection of equipment, lines and colours to adapt to your environment and make it unique. Thanks to our mastery of product design to production, JVD is the only manufacturer able to offer matching sets ranging from hand dryers to toilet roll dispensers by way of soap dispensers.

YALISS STAINLESS STEEL COLLECTION



Our Stainless Steel range offers the ideal balance between design and sturdiness. Its look fits into even the highest-end locations. Its vandal resistance, antibacterial treatment and anti-fingerprint treatment make it the solution of choice for the most demanding settings.

Lastly, its antioxidant treatment, applied to real Stainless Steel, endows it with tremendous resistance to corrosion and an extraordinarily long life.

PRODUCT ADVANTAGES

- Premium design
- 100% antibacterial
- Corrosion resistant, antivandal 304 Stainless Steel



KIDS COLLECTION

The purpose of our Kids range is to help children to learn the basics of hygiene from a very young age. By making the experience of washing and drying their hands more enjoyable, JVD provides a comprehensive solution, suitable for environments visited by children. Thanks to our powerful yet quiet hand dryers, JVD also helps to keep washrooms clean, with no wet paper roll on the floor and no clogged pipes. By limiting their use of paper products, kids can also participate in the creation of a greener, more sustainable future by reducing the carbon footprint associated with using paper.



YALISS COLLECTION

The more pronounced character of the Yaliss collection seeks to give your washrooms a new image between gentleness and liveliness. The products provide new responses to broader requirements: larger capacities, universal or removable cores and improved hygiene, whilst retaining all the qualities of the Cleanline collection (ease of use, personalization, etc.). To date, this is the most complete collection for fitting out your washrooms.

BLACKCOLLECTION

Black has the virtue of endowing an object with a more qualitative value. Whatever the ambiance of the place, Black products can fit in easily (and can be either discreet or highly visible). The matte aspect amplifies the qualitative side of the product and makes the solution less dirty and more scratch resistant. Ever in pursuit of solutions which can minimize our environmental impact, the Black color has given us the opportunity to use recycled plastic.








BENEFITS OF THE SOLUTION





REAL-TIME TRACKING

HygiaConnect® **provides an overview** of any points of dissatisfaction, excessive foot traffic, consumables outages, bin fullness levels, and fluctuations in odours.



THE MOST

COMPREHENSIVE (1) **RANGE** DEDICATED TO **SMART CLEANING**

AIR QUALITY MONITORING



Issues alerts about the general state of indoor air quality

ATMOSPHERIC SENSOR - Air-Mate REF 8772859HC01

BEHAVIOURAL ANALYSIS



Prevents events linked to excessive foot traffic

HYGIASCAN REF 8991670HC01

WASTE MANAGEMENT



LADYBOX REF 8992071HC01



White REF 8991745HC01

● Black **REF 8991991HC01**

Stainless Steel REF 8992114HC01

CONSUMABLES MANAGEMENT

Prevents shortage of consumables in dispensers SOAP / HYDROALCOHOLIC GEL / FOAM



SOAP DISPENSER Foam

White REF 8441559HC01 ● Black **REF 8442055HC01**

> SOAP DISPENSER Gel

- White REF 8441545HC01 Black REF 8442053HC01
- Stainless Steel REF 8442104HC01



HAND SANITIZING STATION

White REF 8441545HC01TO ■ Black REF 8442053HC01TO

TOILET ROLL DISPENSER



JUMBO 400

- White REF 8992051HC01 ■ Black REF 8991546HC01
- Stainless Steel REF 8992103HC01

PAPER TOWEL DISPENSER



ZIG-ZAG

- White REF 8991744HC01
- Black **REF 8992057HC01**
- Stainless Steel REF 8992102HC01



CLEANTECH White REF 8991547HC01

Black REF 8992082HC01

THE SOLUTION'S PLUSES

EASY TO ROLL OUT

LoRa® connectivity

OPEN

Compatible with all types of soap, hydroalcoholic gel and paper sizes

EASY TO INSTALL

No electrical connection required



FOR MORE INFORMATION ivd.fr



A hand dryer should not be chosen at random. Whether your constraints relate to usage, maintenance, noise or vandalism resistance, we have a large array of equipment suited to your environment.



COPT'AIR **REF 8 11 116**

PAGES 10 TO 21

EVERYTHING YOU NEED TO KNOW TO CHOOSE THE RIGHT HAND DRYER

VANDALISM RESISTANCE

In some places, special attention needs to be given to vandalism resistance. Standard NF EN 62262 provides a clear interpretation of this level of resistance with the IK index.

IK10 is the highest level of resistance. A device of this type is able to tolerate at least a blow from a 5 kg sledgehammer. Devices

HOT OR COLD AIR

If the washroom in question has little to no heating, a cold sensation during hand drying can be unpleasant. And so we recommend opting for a hand dryer which uses evaporation or jet air with a heating element.

NOISE

an office or restaurant dining room. Most hot air hand dryers are relatively quiet. Some jet air hand dryers also manage to combine

HAND DRYERS VS PAPER TOWELS

Electric hand dryers offer the most responsible way

O consumables O waste

10 times less expensive than paper carbon emissions

USAGE LEVEL

A hand dryer should provide a solution which is compatible with the level of usage of the washroom.

- For places with little usage (< 50 visits daily), all three solutions are possible.
- For places with normal usage (50-250 visits daily), the cost of paper becomes prohibitive.
- For places with high usage of guaranteeing cost control and a fast drying time.
- Lastly, for places with intensive usage (> 400 visits daily), the chosen hand dryer should have a brushless motor or an induction motor.



It takes 17 trees to produce one tonne of paper. Its manufacturing and transport then generate significant amounts of CO2. For example, the French leader in paper consumables generates 30,000 tonnes of CO2 annually, just to transport its paper within France. In this respect, hand dryers are the ideal solution for

Next-gen jet air hand dryers consume very little energy, and the absence of consumables renders the impact of transport anecdotal at best.

INITIATIVE **EAU&VIE**

JVD joins the Eau&Vie association in its fight for permanent access to quality running water and the development of collective awareness about the importance of hygiene in deprived urban neighbourhoods. We also wanted to contribute to the dissemination of our values by engaging our clients in this common perspective. Therefore, we have joined forces with the Eau&Vie association and set up a partnership to fight for access to running water for all.



For every hand dryer in the Air range (Exp'Air, Stell'Air, Copt'Air and Sup'Air) puchased a hygiene kit will be distributed in underprivileged neighbourhoods in the Philippines.

CHOOSING THE RIGHT HAND DRYERS






















	EXP'AIR	STELL'AIR	COPT'AIR	SUP'AIR	ALPHADRY	AIRWAVE	MASTER	TORNADE	ZEPHYR	OURAGAN
ANTI-VANDALISM	● ● ● Aluminium cover	● ● IK10 ABS	Aluminium / Stainless Steel cover	● IK9 ABS	● ● IK10 ABS	● ● IK10 ABS	● ● ● Aluminium cover	● ● IK10 PC-ABS	● ● IK10 PC-ABS / Bioplastic	● ● ● IK10 PC-ABS
PEOPLE WITH REDUCED MOBILITY OR SMALL CHILDREN	•••		Accessible height	Accessible height			Accessible height	● ● Accessible height	Accessible height	● ● Accessible height
	• • •	•••	•••	•••	• • •	•••	• •	• •	• •	• •
DRYING TIME	10-15 sec	10-15 sec	10-15 sec	10-15 sec	10-15 sec	15-20 sec	20-30 sec	20-30 sec	20-30 sec	20-30 sec
HOT AIR	No	No	Yes, automatically activatable in version S	No	Yes, activatable heating element	Yes, automatically activatable	Yes, heating element	Yes, heating element	Yes, heating element	Yes, heating element
USAGE	High (Exp'air) / Intensive (Exp'air+)	High	High	High	Intensive	High	Intensive	Intensive	Moderate	Moderate
	• •	•••	•	• •	•	•	• • •	•••	• • •	•
NOISE LEVEL	78/75 dB	73 dB	80 dB	75 dB	80 dB	77 dB	70 dB	70 dB	69 dB	78 dB
HYGIENE	Copper filter Antibacterial coating Water recovery tray	Copper filter Antibacterial coating Water recovery tray	Antibacterial filter (optional)	Antibacterial filter (optional)	HEPA filter Water recovery tray	Air filter Water recovery tray				
MAINTENANCE	Clean filter & recovery tray	Clean filter & recovery tray	Clean filter (optional)	Clean filter (optional)	Nettoyage filtre & bac récupérateur	Nettoyage filtre & bac récupérateur	No specific maintenance	No specific maintenance	No specific maintenance	No specific maintenance
MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE			MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE	
HEIGHT (mm)	430	531	285 / 284 (Stainless)	292	685	467	290	302	243	240
WIDTH (mm)	343	340	232 / 225 (Stainless)	216	300	250	265	265	215	267
DEPTH (mm)	237	262	196 / 195 (Stainless)	195	220	165	132	140	195	200
POWER	800 W 1000 W (Exp'air+)	800 W	600 W 1500 W (Copt'air S)	600 W	2050 W	1400 W	2600 W	2600 W	2100 W	2600 W
CERTIFICATIONS	CE - IP44 Class II	CE - IP44 Class II	CE - IP24 Class II	CE - IP24 Class II	CE - IP21 Class I	CE - IP24 Class II	CE - IP23 Class II	CE - IP23 Class II	CE - IP23 Class II	CE - IP21 Casse I

EXP'AIR

EXP'AIR

MADE IN FRANCE

DESIGNED AND MANUFACTURED IN FRANCE, EXP'AIR IS A COMBINATION OF TECHNOLOGIES. FIND OUT HOW EACH COMPONENT WAS PLANNED AND CHOSEN TO PRODUCE OPTIMAL RESULTS.



SUITABLE FOR ANY USAGE LEVEL

Available in a digital / brushless motor version (Exp'air+) for locations with intensive usage or with a brush motor for high traffic areas (Exp'air).



EXP'AIR/EXP'AIR+ | EC@DESIGN

EXP'AIR

- Noise level: 75 dB
- Rated power: 800 W
- Power supply: 230 V 50 Hz
- CE Class II IP44
- 3 year warranty


EXP'AIR+

- Noise level: 78 dB
- Rated power: 1,000 W
- Power supply: 220-240 V
 50 Hz
- CE Class II IP44 IK10
- Digital / brushless motor
- 5 year warranty




EXP'AIR KIDS PACK | EC@DESIGN





PRODUCT ADVANTAGES







HYGIENIC bactericidal copper filter included



50 % quieter than competitors' models



SUITABLE FOR ALL USERS Opening at the front for use by people with reduced mobility and small children



100 %
• anti-vadalism
aluminium cover

CHARACTERISTICS

- Drying time: 10-15 seconds
- Usage: high
- Anti-vandalism: aluminium cover
- Illuminated drying zone
- Bactericidal copper filter included
- 4 finishes: Polished Aluminium, Black, Metal Grey or White
- Dim.: 343 (L) x 430 (H) x 237 (D) mm

REF: 9000100G1

STELL'AIR | ECØDESIGN







STELL'AIR AUTOMATIC Matte Black REF 8 11 1761



STELL'AIR **AUTOMATIC** Aluminium metal grey REF 8 11 963



STELL'AIR AUTOMATIC White REF 8 11 962

BACTERICIDAL COPPER FILTER REF 5 90 2014

DRAINAGE KIT REF 5 30 1719



PRODUCT ADVANTAGES





73 dB Makes it the quietest on the market



HYGIENIC

Integrated copper filter and water tank, antibacterial surface treatment



ANTI-**VANDALISM** Ultra-sturdy ABS



ERGONOMIC Large opening and illuminated drying zone

CHARACTERISTICS

- Drying time: 10-15 seconds
- Usage: high
- Noise level: 73 dB
- Anti-vandalism: IK10 ABS cover
- · Illuminated drying zone
- Bactericidal copper filter included
- Water recovery tray with a capacity of 1L
- Rated power: 800 W
- Power supply: 220-240 V 50 Hz
- CE Class II IP44
- 3 finishes: Matte Black, Metal Grey
- 3 year warranty
- Dim.: 340 (L) x 531 (H) x 262 (D) mm

REF: 9000100G1

SUP'AIR | EC@DESIGN





SUP'AIR AUTOMATIC Matte Black REF 8 11 1760



SUP'AIR AUTOMATIC Aluminium metal REF 8 11 1057



SUP'AIR AUTOMATIC White REF 8 11 1056

ANTIBACTERIAL FILTER REF 5 30 1899

SUP'AIR KIDS PACK | ECØDESIGN



KIDS SUP'AIR AUTOMATIC REF 8 11 1056KIDS CLEANLINE GEL KIDS*

EDUCATIONAL SIGN* to guide children when washing and drying their hands ELEPHANT PVC SIGN* to place behind the tap



PRODUCT ADVANTAGES





Excellent quality-price ratio



Compact



Very low energy consumption



ERGONOMICIllumination of the drying zone

CHARACTERISTICS

- Usage: high
- Noise level: 75 dB
- Anti-vandalism: IK9 ABS cover
- Illuminated drying zone
- Antibacterial filter (optional)
- Rated power: 600 W
- Power supply: 220-240 V 50 Hz
- CE Class II IP24
- 3 finishes: Matte Black, Metal Grey or White
- 3 year warranty
- Dim.: 216 (L) x 292 (H) x 195 (D) mm

REF: 9000100G2

COPT'AIR/COPT'AIR S | EC@DESIGN



COPT'AIR

COPT'AIR S With a heating element*



Stainless Steel

REF 8 11 1790

REF 8 11 1791



Black

REF 8 11 1377

REF 8 11 1624



Grey

REF 8 11 1168


REF 8 11 1623



White

REF 8 11 1167

REF 8 11 1622



PRODUCT ADVANTAGES



1 HAND DRYER = HYGIENE KIT GIVEN AWAY



100 % Anti-vandalism : aluminium or Stainless Steel cover



60 % more economical than competitors models



Available with a heating element which automatically activates (Copt'air S)



INNOVATION Rotating nozzle for increased efficiency and new sensations

CHARACTERISTICS

- Drying time: 10-15 seconds
- Usage: high
- Noise level: 80 dB
- Anti-vandalism: IK10 aluminium cover Stainless Steel cover
- Illuminated drying zone
- Antibacterial filter (optional, not available on the Copt'air S): 5 30 1899
- Rated power:
- Copt'air Automatic: 600 W Copt'air S Automatic: 1500 W
- Power supply: 220-240 V 50 Hz
- CE Class II IP24
- 4 finishes: Stainless Steel, Black, Metal Grey or White
- 3 year warranty
- Dim.: 232 (L) x 285 (H) x 194 (D) mm
- Dim. (Stainless Steel): 225 (L) x 284 (H) x 195 (D) mm

REF: 9000100G2

ALPHADRY | EC@DESIGN



ALPHADRY AUTOMATIC Metal grey REF 8 11 906



ALPHADRY AUTOMATIC White REF 8 11 905



ALPHADRY HEPA FILTER REF 5 10 2010

PRODUCT ADVANTAGES

- Suitable for intensive usage (digital / brushless motor)
- Activatable heating element
- Water recovery tray

CHARACTERISTICS

- Drying time: 10-15 seconds
- Usage: intensive (brushless motor)
- Noise level: 80 dB
- Anti-vandalism: IK10 ABS
- · HEPA air filter included
- 800 mL water recovery tray
- Rated power: 2050 W (1050 without heating element)
- Power supply: 220-240 V 50-60 Hz
- CE Class I IP21
- 2 finishes: White or Metal Grey
- 3 year warranty
- Dim.: 300 (L) x 685 (H) x 220 (D) mm

AIRWAVE | ECØDESIGN



AIRWAVE AUTOMATIC Aluminium metal REF 8 11 684



AIRWAVE AUTOMATIC White REF 8 11 707

PRODUCT ADVANTAGES

- Ultra-fast drying
- Automatically activatable heating element
- Water recovery tray

- Drying time: 15-20 seconds
- Usage: high
- Hot air: automatically activatable heating element
- Noise level: 77 dB
- Anti-vandalism: IK10 ABS
- Air filter included
- 600 mL water recovery tray
- Rated power: 1400 W (600 W without heating element)
- Power supply: 220-240 V 50 Hz
- CE Class II IP24
- 2 finishes: White or Metal Grey
- 2 year warranty
- Dim.: 250 (L) x 467 (H) x 165 (D) mm

TORNADE



TORNADE AUTOMATIC Chrome REF 8 11 292



TORNADE AUTOMATIC ABS or Composite White REF 8 11 251 / 8 11 252

MADE IN FRANCE

PRODUCT ADVANTAGES

- ◆ Hot air
- Suitable for intensive usage
- **⊕** Quiet (70 dB)

CHARACTERISTICS

- Drying time: 20-30 seconds
- Usage: intensive (induction motor)
- Noise level: 70 dB
- Anti-vandalism: IK10 ABS
- Rated power: 2600 W
- Power supply: 220-240 V 50 Hz
- CE Class II IP23
- 3 finishes: White, Composite White or Chrome
- 3 year warranty
- Dim.: 265 (L) x 302 (H) x 140 (D) mm

MASTER



MASTER AUTOMATIC Brushed Chrome REF 8 11 414



MASTER AUTOMATIC Epoxy White REF 8 11 413

MADE IN FRANCE

PRODUCT ADVANTAGES

- Hot air
- Suitable for intensive usage
- Quiet (70 dB)
- Anti-vandalism (aluminium cover)

CHARACTERISTICS

- Drying time: 20-30 seconds
- Usage: intensive (induction motor)
- Noise level: 70 dB
- A nti-vandalism: aluminium
- Rated power: 2600 W
- Power supply: 220-240 V 50 Hz
- CE Class II IP23
- 2 finishes: Brushed Chrome or White
- 3 year warranty
- Dim.: 265 (L) x 265 (H) x 132 (D) mm

OURAGAN



OURAGAN AUTOMATIC Chrome REF 8 11 378



OURAGAN AUTOMATIC White REF 8 11 341

OURAGAN MANUAL White REF 8 11 342

PRODUCT ADVANTAGES

- Hot air
- Nozzle pivots 360°
- Anti-vandalism (steel cover)

- Drying time: 20-30 seconds
- Usage: average
- Noise level: 78 dB
- Anti-vandalism: pressed steel
- Rated power: 2500 W
- Power supply: 220-240 V 50 Hz
- CE-Class I-IP21
- 3 finishes: Manual White, White or Chrome
- 2 year warranty
- Dim.: 267 (L) x 240 (H) x 200 (D) mm

ZEPHYR





ZEPHYR AUTOMATIC Black REF 8 11 1400



ZEPHYR AUTOMATIC White REF 8 11 1401



ZEPHYR AUTOMATIC Blue REF 8 11 1402



ZEPHYR AUTOMATIC Red REF 8 11 1403



ZEPHYR AUTOMATIC Light blue REF 8 11 1404



ZEPHYR AUTOMATIC Neon green REF 8 11 1462



PRODUCT ADVANTAGES



Personalizable with our clients' our clients' names





Anti-vandalism

- Drying time: 20-30 seconds
- Usage: average
- Noise level: 69 dB
- Illuminated drying zone
- Rated power: 2100 W
- Anti-vandalism: IK10 ABS cover
- Power supply: 220-240 V 50 Hz
- CE Class II IP23
- 3 year warranty
- Dim.: 210 (L) x 243 (H) x 195 (D) mm

INTEGRATED SOLUTIONS

"For more than 30 years now, we have been imagining and building built-in solutions to meet complex technical constraints. Backed by our expertise in hand dryers, particularly for railway applications, we can scale any form of solution for our clients around blown air: drying for industrial parts, space heaters, use in severe, restricted or confined environments, and so on. Our mastery of simulations of systems' air flow behaviours allows us to very quickly reach perfectly effective, personalized solutions."

Olivier DE BARBEYRAC, Technical Manager









DESIGN & ERGONOMICS

Between design, efficiency and footprint limitations, you undoubtedly have multiple expectations. We can take all those demands into account to devise a **completely personalized solution for you.**

EXPERTISE

Having dealt with the most varied constraints over more than 30 years, we put our know-how at your disposal to provide you with fast responses and effective solutions.

BESPOKE DEVELOPMENT & PRODUCTION

Our R&D Department designs and develops each bespoke built-in system for some of the most complex and difficult environments: railway, industry, communities, high altitude, etc. Based at the same site in Nantes, our R&D and manufacturing teams work closely together to ensure flexibility and agility in the development and implementation of our clients' projects.

NEPTUNE BLACK

HAIR DRYERS FOR POOLS & GROUPS

Whether installed at a swimming pool

or a gym, in a changing room or a hotel room, our products will adapt to any environment.

PAGES 22 TO 23

NEPTUNE



NEPTUNE Matte Black REF 8 22 1762



NEPTUNE White REF 8 22 1405



NEPTUNE REF 8 22 1406



NEPTUNE Red REF 8 22 1407

MADE IN FRANCE

PRODUCT ADVANTAGES

- Adjustable height
- ♠ 180° rotation
- Quiet (70 dB)
- Longevity (induction motor)
- Corrosion resistant in chlorinated atmospheres
- On/off button to simplify maintenance

CHARACTERISTICS

- Usage: intensive (induction motor)
- Noise level: 70 dB
- Anti-vandalism: IK10 ABS cover
- Rated power: 2000 W
- Power supply: 220-240 V 50 Hz
- CE Class II IP23
- · 3 year warranty
- Dim. (support): 138 (L) x 1153 (H) x
- Dim. (hair dryer): 150 (L) x 348 (H) x 384 (D) mm



Scan me to play the video



OPTIONAL NEPTUNE MIRROR REF 8 99 1804

DRAGON



DRAGON REF 8 22 009

MADE IN FRANCE **PRODUCT**

ADVANTAGES

- Quiet (70 dB)
- Longevity (induction motor)
- Corrosion resistant in chlorinated atmospheres

CHARACTERISTICS

- Usage: high
- Noise level: 70 dB
- Anti-vandalism: IK10 ABS cover
- Dust filter
- Rated power: 2100 W
- Power supply: 220-240 V
- 50 Hz
- CE Class II IP23
- 3 year warranty
- Dim.: 255 (L) x 280 (H) x 140 (D) mm

CALISTO II



CALISTO 2000 W + Black universal support Matte Black REF 8 22 1632

CALISTO 2000 W + socket Matte Black REF 8 22 2107

PRODUCT ADVANTAGES

- Brushless motor with a very long lifespan
- Power: 2000 W
- 6 drying settings
- Fitted with an ionizing system

- Power supply: 230 V 50/60 Hz
- 6 drying settings:
- Air flow: 55 & 85 m³/hr 3 temperatures
- A button for the cold position
- CE Class II IP20
- Volume area 2
- 3 year warranty
- Dim.: 264 (L) x 266 (H) x 90 (D) mm
- Cable length: 2270 mm





IVD,



UNIVERSAL

JVD's dispensers are considered to be "open" solutions, meaning any brand of consumable can be used in them (including brands which only offer proprietary equipment).

In addition, our soap dispensers feature built-in containers which can be filled with soap purchased in bulk (in jugs, for example). This solution is more economical and more ecological (less packaging).

PAPER

PAPER TOWEL DISPENSER FORMATS

Disposable folded paper is compatible with zig-zag devices. They are classified according to how the sheets are folded:

- Interleaved paper: W or Z
- · Zig zag paper: V
- Folder paper: C

Disposable paper rolls with cores are compatible with auto cut devices. They come in the form of spools of different diameters and different lengths. Please note that some spools are only compatible with proprietary solutions.

Disposable paper rolls without cores are compatible with centre pull devices.



AUTOMATIC OR MANUAL

Automatic soap dispensers are becoming increasingly common in washrooms. They are more hygienic as no contact with the device is required. They can also be more economical by limiting the flow.

SOAP, SANITIZER GEL OR FOAMING SOAP Soap is available in two forms. Gel soap is the most common one on the market. Soap also comes in a foaming version.

With a suitable dispenser, this solution can:

4 X soap consumption

and by water consumption

CONTROLLED DISPENSING

At JVD, all our soap dispensers have pumps with gel/soap flow regulators.

That part controls how the soap comes out, preventing splatter on clothing or, worse still, in a user's eyes. It also generates savings, as it cuts the consumption of gel/soap in half.



26 | DISPENSERS | CLEANLINE COLLECTION - PAPER



CLEANLINE JUMBO 200 - 400



CLEANLINE TP JUMBO 200 Black cover REF 8 99 1380

CLEANLINE TP JUMBO 400 Black cover REF 8 99 1381



CLEANLINE TP JUMBO 200 Metal grey cover REF 8 99 734

CLEANLINE TP JUMBO 400 Metal grey cover REF 8 99 735



CLEANLINE TP JUMBO 200 White cover REF 8 99 602

CLEANLINE TP JUMBO 400 White cover REF 8 99 603

MADE IN FRANCE

PRODUCT ADVANTAGES

 Easy to tear right or left thanks to chiselled blades

CHARACTERISTICS

- ABS cover Grey ABS frame
- Capacity: 200 / 400 m roll
- Core: Ø 45 mm
- Paper level indicator
- 4 mounting points
- Dim. (200): 245 (L) x 275 (H) x 120 (D) mm
- Dim. (400): 285 (L) x 320 (H) x 120 (D) mm

Optional:

- Possibility of installing a fixed key only for the Cleanline White collection (2 10 1697)
- Adjustable cores for the Jumbo 400: 60 mm (2 10 1439) or 50 mm (2 10 1412)

CLEANLINE MAXI / MINI TP DISPENSER



CLEANLINE MAXI TP DISPENSER White Cover REF 8 99 607



CLEANLINE MINI TP DISPENSER White Cover REF 8 99 608

MADE IN FRANCE

CHARACTERISTICS

- White ABS cover Grey ABS frame
- Capacity: Cleanline Mini toilet roll: 2 packets (8 99 608)
 Cleanline Maxi toilet roll: 4 packets (8 99 607)
- 4 mounting points
- Dim. (Mini): 137 (L) x 145 (H) x 122 (D) mm
- Dim. (Maxi): 145 (L) x 275 (H) x 135 (D) mm

Optional:

 Possibility of installing a fixed key (2 10 1697)

CLEANLINE

ZIG-ZAG

CLEANLINE ZIG-ZAG Black cover REF 8 99 1382



CLEANLINE ZIG-ZAG Grey metal cover REF 8 99 733



CLEANLINE ZIG-ZAG White cover REF 8 99 604



MADE IN FRANCE

CHARACTERISTICS

- ABS cover Grey ABS frame
- Capacity: 400-600 paper towels
- Max dimensions: Max width: 245 mm Depth: 110 mm
- · Paper level indicator
- 4 mounting points
- Dim.: 265 (L) x 340 (H) x 110 (D) mm

Optional:

 Possibility of installing a fixed key (2 10 1697)

CLEANLINE

CENTRE PULL DISPENSER

CLEANLINE MAXI CENTRE PULL DISPENSER Black cover REF 8 99 1383



CLEANLINE MAXI CENTRE PULL DISPENSER Grey metal cover REF 8 99 736



CLEANLINE MAXI CENTRE PULL DISPENSER White cover REF 8 99 605



PRODUCT ADVANTAGES

 Adjustable tightness to slow dispensing



ECONOMICAL

Adjustable tigntness

CHARACTERISTICS

- ABS cover Grey ABS frame
- Capacity: 450 format (spool: Ø 205 mm)
- 4 mounting points
- Dim.: 220 (L) x 310 (H) x 220 (D) mm

Optional:

 Possibility of installing a fixed key (2 10 1697)

FIXED KEY



CLEANLINE FIXED KEY REF 2 10 1697

OPTIONAL:

- Exclusive for the Cleanline collection
- Permanent key to affix to the device
- Prevents the problem of lost keys

CLEANTECH

AUTOMATIC PAPER DISPENSER



CLEANTECH Matte Black REF 8 99 1763



CLEANTECH White REF 8 99 845

PRODUCT ADVANTAGES

- Optimized hygiene: no contact with the device
- Easy tear paper
- Antistatic roll to prevent jams

CHARACTERISTICS

- White or Black ABS cover
- Capacity:
 Maximum diameter: 216 mm
 Maximum width: 210 mm
- Adjustable core diameter: 38-51 mm
- Weight: 3 kg
- Dim.: 309 (L) x 398 (H) x 252 (D) mm

CLEANLINE

MINI CENTRE PULL

DISPENSER



CLEANLINE MIN CENTER PULL DISPENSER Capot White REF 8 99 606



CHARACTERISTICS

- White ABS cover Grey ABS frame
- Capacity: 200 format (spool: Ø 130 mm)
- 4 mounting points
- Dim.: 145 (L) x 275 (H) x 135 (D) mm

Optional:

 Possibility of installing a fixed key (2 10 1697)

CLEANLINE | EC@DESIGN



Grey SOAP / SANITIZER GEL REF 8 44 1379 REF 8 44 731 REF 8 44 479 REF 8 44 972

FOAMING SOAP REF 8 44 1378 REF 8 44 732 REF 8 44 478

Black

TOILET SEAT DESINFECTANT

REF 8 44 1455

O White



TOILET SEAT DESINFECTANT User instructions printed on the product



FOAM Foaming soap can cut consumption by up to 4 times



Paddle

PRACTICAL Easy to refill and clean thanks to its removable container

MADE IN FRANCE

PRODUCT ADVANTAGES

- Very sturdy
- Easy to refill consumables
- Choice of 3 colours
- 3 versions: soap/sanitizer gel, foaming soap or toilet seat desinfectant

CHARACTERISTICS

- Capacity: 700 mL
- Removable container for easier cleaning
- · Material: ABS
- Flow: 1 mL or 0.5 mL per pump (gel)
- · Level indicator
- Locks with a key
- Meets HACCP requirements
- 1 year waranty
- Dim.: 110 (L) x 206 (H) x 106 (D) mm

Optional:

· Possibility of installing a fixed key (2 10 1697)

CLEANLINE KIDS



CLEANLINE FOAMING SOAP DISPENSER KIDS **REF 8 44 478 KIDS**

CLEANLINE SOAP / SANITIZER **GEL DISPENSER KIDS REF 8 44 479 KIDS**

FRANCE A D E I N

PRODUCT ADVANTAGES

- The soap dispensing solution from the Kids collection
- Very sturdy
- Easy to refill consumables
- 2 versions: soap/sanitizer gel or foaming soap

- · Capacity: 700 mL
- Removable container for easier cleaning
- Material: ABS
- Flow: 1 mL or 0.5 mL per pump (gel)
- · Locks with a key
- Meets HACCP requirements
- 1 year warranty
- Dim.: 110 (L) x 206 (H) x 106 (D) mm

DISPENSERS | YALISS COLLECTION - SOAP | 29



YALISS JUMBO 400 | SMART OPTION®

Available with HygiaConnect® (cf. pages 8 & 9)





YALISS JUMBO 400 Matte Black REF 8 99 1764



YALISS JUMBO 400 White REF 8 99 955

YALISS JUMBO 400 IK10 White REF 8 99 1288



PRODUCT ADVANTAGES



ERGONOMIC Easy to tear right or left thanks to chiselled blades



UNIVERSAL Universal core



ANTI-VANDALISM IK 10 impact resistant PC-ABS cover (REF 8 99 1288)

- Secure lock with key
- Practical: easy to change out consumables

- · Material:
 - 8 99 2103: Stainless Steel 304 -899955: ABS
 - 8 99 1288: PC-ABS
- Capacity: 1 roll: 400 m Ø 295 max
- Universal core
- Paper level indicator
- 4 mounting points
- Dim.: 280 (H) x 350 (H) x 133 (D) m

YALISS MINI MIXED TP



YALISS MINI MIXED TP White REF 8 99 954





UNIVERSAL
Removable core for roll or sheet by sheet format

MADE IN FRANCE

PRODUCT ADVANTAGES

- Suitable for large formats
- Removable core
- Secure lock with key
- Practical: easy to change out consumables

CHARACTERISTICS

- ABS cover Grey ABS frame
- Capacity: 1 roll Ø 130 mm max 2 packets, 150 m high
- Paper level indicator
- 3 mounting points
- Dim.: 155 (L) x 177 (H) x 135 (D) mm

YALISS ZIG-ZAG | SMART OPTION 1)

Available with HygiaConnect® (cf. pages 8 & 9)





YALISS ZIG-ZAG Matte Black REF 8 99 1792



YALISS ZIG-ZAG White REF 8 99 880

MADE IN FRANCE

PRODUCT ADVANTAGES

- Suitable for large paper towel formats
- Secure lock with key
- Practical: easy to change out consumables

CHARACTERISTICS

- 304 Stainless Steel or ABS cover
- Capacity: 400-700 sheets
- Max dimensions: Max width: 255 m - Depth: 125 mm
- Paper level indicator
- 4 mounting points
- Dim.: 280 (L) x 350 (H) x 133 (D) mm

YALISS MAXI CENTER PULL DISPENSER



YALISS MAXI CENTER PULL DISPENSER White REF 8 99 956



ECONOMICALAdjustable tightness

MADE IN FRANCE

PRODUCT ADVANTAGES

- Adjustable tightness to slow dispensing
- Suitable for spools with large diameters
- Secure lock with key
- Practical: easy to change out consumables

- ABS cover Grey ABS frame
- Capacity: 450 format (spool: Ø 230 mm)
- Paper level indicator
- 4 mounting points
- Dim.: 260 (L) x 305 (H) x 240 (D) mm

YALISS AUTOMATIC | SMART OPTION 1)

Available with HygiaConnect® (cf. pages 8 & 9)

NEW MODEL



YALISS SOAP / SANITIZER GEL DISPENSER Stainless Steel

REF 8 44 2104



YALISS SOAP / SANITIZER GEL DISPENSER Matte Black Cover REF 8 44 1765

> YALISS FOAMING SOAP Matte Black Cover REF 8 44 1766



YALISS SOAP / SANITIZER GEL DISPENSER White Cover

REF 8 44 1448

YALISS FOAMING SOAP White Cover REF 8 44 1449



HYGIENIC
Automatic hand detection



EASY

Automatically shuts
off when the cover is
opened and a wide
opening for easy refills



FOAM OR GEL
Thanks to
interchangeable
pumps

DESIGNED IN FRANCE


PRODUCT ADVANTAGES

- Hygienic: automatic hand detection
- Suitable for medical and agrifood settings
- Easy to refill consumables
- 2 versions: soap/sanitizer gel or foaming soap

- · Capacity: 1000 mL
- Automatically shuts off when the cover is opened
- Removable container for easier cleaning
- Large opening for level indicator
- Flow: 1 mL per dose (gel)
- Material: 304 Stainless Steel or ABS
- Power supply: 4 LR14 (C, 1.5 V) batteries (not included)
- · Level indicator
- · Locks with a key
- Meets HACCP requirements
- 2 year warranty
- Dim.: 157 (L) x 295 (H) x 106 (D) mm

HAND SANITIZING STATION | SMART OPTION (1)

Available with HygiaConnect® (cf. pages 8 & 9)





YALISS HAND SANITIZING STATION White 1000 mL

REF 8 44 1448TO1



YALISS HAND SANITIZING STATION Matte Black 1 000 mL

REF 8 44 1765TO1



SAPHIR HAND SANITIZING STATION White 1000 mL

REF 8 44 397TO1



CLEANLINE PADDLE HAND SANITIZING STATION 700 mL

REF 8 44 972TO1



PRODUCT ADVANTAGES

- Secure Lock with a key
- Hygienic Automatic hand detection and integrated drop collector
- No electrical installation The hand sanitizing station runs on batteries
- Integrated display area High visibility (A5 format, poster not included)
- Non-captive Suitable for all types of hand sanitizer gel
- Anti-vandalism Very high stability (6 kg steel base)

CHARACTERISTICS

- Removable container for easier cleaning
- Large opening for level indicator
- Flow: 1 mL per dose (gel)
- Material: ABS
- Yaliss Power supply: 4 LR14 (1.5 V) batteries (not included)
- Saphir Power supply: 4 LR6 (AA, 1.5 V) batteries (not included)
- Optional external power charger (REF. 2 20 2798)
- Meets HACCP requirements
- Dim. (Yaliss): L.157 x H.295 x D.106 mm
- Dim. (Station): L.358 x H.1609 x D.358 mm (12.8 kg)

DISCOVER THE STATION

IN VIDEO

BY SCANNING THIS QR CODE





SWIVEL CASTOR KIT REF 8 44 1765TO1

PRATICAL

KIT with 4 casters + screws to be fixed on the hand sanitizing station. Compatible with all our station models.

YALISS FRAGRANCE



YALISS AIR FRESHENER REF 8 33 959

YALISS FRANGRANCE REFILL

4 FRAGRANCES

CREATED AND MADE IN GRASSE (FRANCE) BY A CRAFT PERFUMER



WINDS OF ATLANTIS REF 8 88 1393

FIG LEAF REF 8 88 1391






STOPOVER IN BALI REF 8 88 1392

VERBENA COLOGNE REF 8 88 1394





PATENTED INNOVATION Patented double wall cartridge



An impermeable wall for optimal conservation. Simply press to release the fragrance.

A microporous wall allowing for the gradual, continuous diffusion of fragrance.





PRODUCT ADVANTAGES



4 programme modes: day/night or continuous, 2 ventilation speeds (normal or fast)



1-2 months of constant, lasting diffusion



Eco-friendly, reduced packaging, 100% recyclable material, gas free



FAN

Integrated so the freshener can be positioned anywhere in the room

CHARACTERISTICS

Air freshener:


- Material: polypropylene

- Continuous or day/night mode
 2 speeds: normal or fast
 Power supply: 2 LR20 (D) batteries (not included)
- Locks with a key
- · 2 year waranty
- Dim.: 93 (L) x 197(H) x 77 (D) mm

- Compliant with IFRA standards
- Designed and manufactured in France



Scan me to play the



HAND PAPER TOWEL METAL



METAL PAPER TOWEL DISPENSER White REF 8 99 617



PAPER TOWEL DISPENSER Brushed Stainless Steel REF 8 99 797

CHARACTERISTICS

- Capacity: 400-700 paper towels
- Max dimensions: Max width: 45 m Depth: 120 mm
- Consumables level indicator at the front
- 3 mounting points
- 2 finishes: White Epoxy or Brushed Stainless Steel
- Dim: 240 (L) x 400 (H) x 123 (D) mm

MIXED TP DISPENSER

METAL



METAL MIXED TP DISPENSER White REF 8 99 621



METAL MIXED TP DISPENSER Brushed Stainless Steel REF 8 99 622

CHARACTERISTICS

- · Secure lock with key
- Capacity: 1 roll or 2 packets of folded paper
- 3 mounting points
- 2 finishes: White Epoxy or Brushed Stainless Steel
- Dim: 134(L) x 137 (H) x 120 (D) mm

JUMBO METAL



METAL JUMBO 200 White REF 8 99 439

METAL JUMBO 400 White REF 8 99 440



METAL JUMBO 200 Brushed Stainless Steel REF 8 99 1110

METAL JUMBO 400 Brushed Stainless Steel REF 8 99 623

PRODUCT ADVANTAGES

Metal core delivered with adapter

- Consumables level indicator at the front
- Capacity: 200 / 400 m spool
- Core: Ø 45 / 60 mm
- Easy to tear right or left
- 4 mounting points
- 2 finishes: White Epoxy or Brushed Stainless Steel
- Dim. (200): 246 (L) x 282 (H) x 120 (D) mm
- Dim. (400): 290 (L) x 326.5 (H) x 120 (D) mm

SAPHIR AUTOMATIC



PRACTICAL Easy to refill



PRODUCT ADVANTAGES

- Automatic hand detection
- ◆ Large capacity (1,100 mL)
- Eco-friendly (flow limited to 1 mL every 3 seconds)
- For soap and sanitizer gel

CHARACTERISTICS

- Automatically shuts off when the cover is opened
- Automatic hand detection
- · Translucent level indicator
- Flow: 1 mL per dose
- Delivers up to 1 dose every 3 seconds
- Power supply: 4 LR6 (AA, 1.5V) batteries (not included)
- · Locks with a key
- Meets HACCP requirements
- 1 year warranty
- Subject to eco-recycling
- Dim.: 140 (L) x 235 (H) x 107 (D) mm

SAVINOX



SAVINOX SOAP / SANITIZER GEL 850 mL Shiny Stainless Steel REF 8 44 254



SAVINOX SOAP / SANITIZER GEL 450 mL Shiny Stainless Steel REF 8 44 253



SAVINOX SOAP / SANITIZER GEL 850 mL Brushed Stainless Steel REF 8 44 304

PRODUCT ADVANTAGES

- Anti-vandalism
- Corrosion resistant 304 Stainless Steel
- Soap level indicator
- For soap and sanitizer gel

CHARACTERISTICS

- Capacity: 450 / 850 mL
- 2 finishes: Shiny 304 Stainless Steel (8 44 254 / 8 44 253), Brushed 304 Stainless Steel (8 44 304)
- Reinforced mounting system
- Cover locks with a key
- Meets HACCP requirements
- 1 year warranty
- Dim. (450 mL): 90 (L) x 169 (H) x 115 (D) mm
- Dim. (850 mL): 105 (L) x 182 (H) x 115 (D) mm

ISISS | ECØDESIGN



ISISS SOAP / HYDROALCOHOLIC GEL DISPENSER Black

REF 8 44 1767



ISISS SOAP / HYDROALCOHOLIC GEL DISPENSER White

REF 8 44 1768

MADE IN FRANCE

PRODUCT ADVANTAGES

- Ecological & economical: reusable container
- 3 labels included (Soap, Shampoo & Lotion)
- Locks with a key (included)
- For soap and sanitizer gel

- Key locking system for container
- Capacity: 300 mL
- Material: ABS
- Flow: 1 mL per pump
- Finish: White or Black
- Transparent container
- Meets HACCP requirements
- 1 year warranty
- Dim.: 75 (L) x 202 (H) x 58 (D) mm

RUBIS



RUBIS REF 8 44 738

MADE IN FRANCE

PRODUCT ADVANTAGES

- ◆ Long-lasting pump (silicone)
- Personalizable name
- Locks with a key (included)

CHARACTERISTICS

- Compatible with hydroalcoholic gel
- Capacity: 800 mL
- · Material: ABS
- Flow: 1 mL per pump
- Locks with a key
- Meets HACCP requirements
- 1 year warranty
- Dim.: 105 (L) x 207 (H) x 87 (D) mm

CRYSTAL



CRYSTAL SOAP 1000 ML PUSH BUTTON REF 8 44 102



CRYSTAL 450 ML PUSH BUTTON REF 8 44 098

CRYSTAL 1 000 ML PADDLE REF 8 44 103

CRYSTAL 450 ML PADDLE REF 8 44 099



HYGIENIC Suitable for agrifood settings

MADE IN FRANCE

PRODUCT ADVANTAGES

- Long-lasting pump (silicone)
- ◆ 2 capacities: 450 or 1000 mL
- Push button or paddle
- Secure: locks with a key

CHARACTERISTICS

- Compatible with hydroalcoholic gel
- Material: ABS
- Flow: 1 mL per pump
- Meets HACCP requirements
- 1 year warranty
- Dim. (450 mL): 110 (L) x 155 (H) x 99 (D) mm
- Dim. (1000 mL): 110 (L) x 245 (H) x 99 (D) mm

CLEANSEAT TOILET SEAT DISINFECTANT



CLEANSEAT DISINFECTANT DISPENSER 450 ML PUSH BUTTON REF 8 44 131



CLEANSEAT REFILL (1L bottle) REF 8 88 1656



PRACTICAL
User instructions printed on the product



PRODUCT ADVANTAGES

- Long-lasting pump (silicone)
- Used under category TP2
- ◆ Compliant with European standard EN 13697

- Capacity: 450 mL (approx. 450 doses)
- Material: ABS
- Flow: 1 mL per pump
- Meets HACCP requirements
- 1 year warranty
- Dim.: 110 (L) x 155 (H) x 99 (D) mm

DISPENSERS SPOOL





WALL-MOUNTED SPOOL SUPPORT REF 8 99 1238

PRODUCT ADVANTAGES

◆ Easy to tear paper: plastic saw built into the cover and held in place by pressure from 2 side springs

CHARACTERISTICS

- Tubular metal structure (Ø 20 m): White Epoxy finish
- Green ABS cover
- Capacity: 1 spool of industrial paper
- Dim. (desktop): 530 (L) x 910 (H) x 405 (D) mm
- Dim. (wall-mounted): 360 (L) x 360 (H) x 405 (D) mm

FOAMING SOAP

REF 8 99 1169



FOAMING SOAP LEMON 5 L Container REF 8 88 1657



FOAMING SOAP 5 L Container REF 8 88 648

PRODUCT ADVANTAGES

- Eco-friendly
- Economical
- Gentle on the hands

CHARACTERISTICS

8 88 1657:

- Made in France
- 98.8% ingredients of natural origin
- Ecocert
- Compliant with standards 1223/2009 (EC) and ISO 11930

8 88 648:

- Made in the European Union: RS 37106/Z
- pH: 6.0-6.5
- Biodegradable and Ecolabel
- Compliant with standards 73/404/ EEC and 73/405/EEC

AMARILLYS AIR FRESHENER



AMARILLYS Air freshener REF 8 33 522



ECONOMICALWith its day/night mode

PRODUCT ADVANTAGES

- ◆ Economical (day/night mode, adjustable frequency)
- On/off indicator lights

CHARACTERISTICS

- 3 modes:
 - Day (operates in the light)
- Night (operates in the dark)
- 24/7
- Programmable frequency of sprays: 7.5, 15 or 30 min
- Power supply: 2 LR14 (C, 1.5V) batteries (not included)
- Battery life: 30,000 sprays
- On/off indicator light
- Spray indicator light
- 2 year warranty
- Dim.: 95 (L) x 230 (H) x 95 (D) mm

AMARILLYS REFILLS



Neutralizing Floral Spray REF 8 88 1232



Purifying Essential Oil Spray REF 8 88 1464



Deodorant Peach Spray REF 8 88 1236



Fresh Wind Spray REF 8 88 1465



Deodorant Berry Spray **REF 8 88 1235**



Deodorant Citrus Spray REF 8 88 1237

MADE IN FRANCE

PRODUCT ADVANTAGES

- Fragrances designed and manufactured in France
- IFRA compliant

CHARACTERISTICS

- Net volume: 250 mL for 3,000 sprays
- Dim.: 65 mm (Ø) x 130 mm (H)

ELIMINODOR | EC@DESIGN



ELIMINODOR Odour inhibitor REF 8 33 053

ELIMINODOR REFILL Lemon REF 8 88 057

ELIMINODOR REFILL Chlorophyll REF 8 88 058





SIMPLE AND EFFECTIVE
Eliminodor works only via the flow
of air caused by moving the door to
which it is attached.

MADE IN FRANCE

PRODUCT ADVANTAGES

- No motor, no gas, no electricity
- Uses no energy

- Material: polypropylene
- Dim.: 100 (L) x 155 (H) x 50 (D) mm

AIR FRESHENER



SINGLE TOWEL RAIL Chrome REF 8 99 1440



DOUBLE TOWEL RAIL Chrome REF 8 99 1441



TOWEL RACK Chrome REF 8 99 1442

CHARACTERISTICS

- Material: 304 Stainless Steel
- Dim. (single towel rail):
 647 (L) x 56 (H) x 80 (D) mm
- Dim. (double towel rail):
 652 (L) x 56 (H) x 130 (D) mm
- Dim. (towel rack): 647 (L) x 125 (H) x 130 (D) mm



SINGLE TOWEL RAIL Matte Black REF 8 99 1776



DOUBLE TOWEL RAIL Matte Black REF 8 99 1777



TOWEL RACK Matte Black REF 8 99 1778

CHARACTERISTICS

- 304 Stainless Steel
- Matte Black finish

8 99 1776:

- Dim.: 60 (H) x 577 (L) x 80 (D) mm
- 8 99 1777:
- Dim.: 60 (L) x 577 (H) x 120 (D) mm

8 99 1778:

• Dim.: 140 (L) x 577 (H) x 232 (D) mm

SOAP HOLDERS & BARS



ANGLED SUPPORT BAR Chrome REF 8 99 1436



SOAP HOLDER Chrome REF 8 99 1445



TOWEL RING Matte Black REF 8 99 1779

CHARACTERISTICS

- Material: Stainless Steel
- Can be installed to face left or right
- Dim. (angled bar): 420 (L) x 185 (H) x 119 (D) mm
- Dim. (soap holder): 240 (L) x 30 (H) x 150 (D) mm

- 304 Stainless Steel
- Matte Black finish
- Dim.: 185 (L) x 180 (H) x 85 (D) mm

PATÈRES

SINGLE HOOK Chrome REF 8 99 1438



SINGLE HOOK Chrome REF 8 99 1439



CHARACTERISTICS

Single hook:

- Material: 304 Stainless Steel
- Dim.: 56 (Ø) x 64 (D) mm

Double hook:

- Material: brass
- Dim.: 87 (Ø) x 55 (D) mm

HOOK Matte Black REF 8 99 1780



DOUBLE HOOK Matte Black REF 8 99 1781



CHARACTERISTICS

- 304 Stainless Steel
- Matte Black finish
- Dim.: 50 (H) x 50 (L) x 80 (D) mm

DISPENSERS PAPIER ROULEAU

TOILET ROLL DISPENSER Chrome REF 8 99 1443



TOILET ROL DISPENSER WITH RESERVE Chrome

REF 8 99 1444



CHARACTERISTICS

Toilet roll dispenser:

- Material: 304 Stainless Steel
- Dim.: 180 (L) x 56 (H) x 90 (D) mm

Toilet roll dispenser with reserve:

- Material: 304 Stainless Steel
- Dim.: 185 (L) x 56 (H) x 112 (D) mm

TOILET ROLL DISPENSER Matte Black REF 8 99 1782



CHARACTERISTICS

- 304 Stainless Steel
- · Matte Black finish
- Dim.: 125 (L) x 145 (H) x 85 (D) mm

TOILET BRUSHES

TOILET BRUSH WHITH WALL SUPPORT Chromed Brushed Stainless Steel REF 8 99 1063

Stainless Steel REF 8 99 1135

BRUSH HOLDER

WALL-MOUNTED

Matt Black Stainless Steel

REF 8 99 1783



NEW COLOR

TOILET BRUSH WITH

Chromed Brushed

Stainless Steel

REF 8 99 796

SUPPORT



TOILET BRUSH HOLDER WALL MOUNTED Matte Black REF 8 99 1136

PRODUCT ADVANTAGES

304L Stainless Steel

CHARACTERISTICS

- Install on floor or mount on wall
- 8 99 1063:
- Dim.: 92 (Ø) x 390 (H) x 122 (D) mm
- 8 99 1135:
- Dim.: 104 (Ø) x 386 (D) mm
- 8 99 796:
- Dim.: 104 (Ø) x 393 (H) mm

- 304 Stainless Steel
- Matte Black finish
- 8 99 1783
- Dim.: 160 (L) x 365 (H) x 125 (D) mm
- 8 99 1136
- Dim.: 92 (L) x 393 (H) x 115 (D) mm









EVERYTHING YOU NEED TO KNOW TO CHOOSE THE RIGHT INSECT KILLER



Flying insect killers are designed to attract and kill flying insects, particularly flies and mosquitoes but also midges, wasps, hornets, horseflies and more.

WHERE SHOULD YOU INSTALL IT?

For optimal operation, your flying insect killer must be placed in a warm, dark place, sheltered from draughts and up in the air (whether mounted or hanging).

OPERATING PRINCIPLE

A flying insect killer is an illuminated electrical device which attracts flying insects with ultraviolet A rays (harmless to people) and then either electrocutes them, traps them with glue or aspirates them.

IP54 INDEX DEVICES?

IP54 devices are suitable for very humid environments. They are protected against sprays of water.



FRAGMENT RETENTION TUBES?

Unlike standard tubes, fragment retention tubes are covered with a protective film which avoids broken glass in the case of a blow. Fragment retention tubes are recommended for the agrifood industry in particular.

GLUE OR ZAPPER?

Bug zappers are non-polluting (no chemicals and no odours). They are safe (the high-voltage grids are always protected). Their recovery trays need to be emptied. Glue traps are non-polluting (no chemicals and no odours). They are safe. They do not cause any crackling or throw off any insect parts. They are perfectly suited to places with significant hygiene constraints. Their glue strips need to be replaced on a regular basis.

WHAT POWER FOR WHAT SURFACE AREA?

50 m ²	20	w
80 m ²	30	W
120 m ²	40	W
200 m ²	ജവ	W

CHOOSING THE RIGHT INSECT KILLER



















	INDUSTRIE PRO IP54	INDUSTRIE	LED	STANDARD	GLUE TRAP	DECO	COMPACT	DESINSEC- TIVOR	COMMERCE
REFERENCE	8 55 1174 80 W	8 55 837 40 W 8 55 838 80 W 8 55 839 glue - 80 W	8 55 1598 13 W	8 55 625 30 W 8 55 627 40 W 8 55 629 80 W	8 55 524 30 W	8 55 1291 (White) 8 55 1392 (Black) 8 55 1393 (rouge) 20 W	8 55 1326 (White) 8 55 1327 (Black) 8 55 1328 (rouge) 20 W	8 55 1361 30 W	8 55 078 30 W
IDEAL FOR	Agrifood, chemicals and farming industries	Retail shops, kitchens, childcare centres, schools, retirement homes (40 W), and agrifood, chemicals and farming industries	Retail shops, kitchens, childcare centres, schools and retirement homes	Retail shops, kitchens, childcare centres, schools and retirement homes	Retail shops, kitchens, childcare centres, schools and retirement homes	Food shops, bars, cafés, restaurants and hotels	Food shops, bars, cafés, restaurants and hotels	Food shops, bars, cafés, restaurants and hotels	Retail shops, kitchens, childcare centres, schools and retirement homes
INSTALLATION SURFACE	200 m²	120 m ² - 40 W 200 m ² - 80 W	80 m²	80 m ² - 30 W 120 m ² - 40 W 200 m ² - 80 W	80 m²	30 m²	50 m²	40 m²	80 m²
METHOD USED	Electrocuting grid	Electrocuting grid / glue board	Electrocuting grid	Electrocuting grid	Glue board	Glue board	Electrocuting grid	Aspiration	Electrocuting grid
ECO-DESIGN			EC DESIGN						
RESISTANCE TO WATER SPRAY	✓		√						
RESISTANCE TO DUST	✓								
HIGH CORROSION AND OXIDATION RESISTANCE	✓	√	√						
DIMENSIONS & WEIGHTS	H. 300 x L. 630 x P. 155 mm 10 kg	H. 280 x L. 617 x P. 110 mm 6,46 kg (8 55 837) 7 kg (8 55 838) 5,70 kg (8 55 839)	H. 255 x L. 470 x P. 100 mm 4,51 kg	(30 W) H. 325 x L. 515 x P. 70 mm 4,51 kg (40/80 W) H. 365 x L. 660 x P. 70 mm 5,70 kg	H. 285 x L. 465 x P. 95 mm 4,05 kg	H. 265 x L. 165 x P. 113 mm 0,93 kg	H. 270 x L. 160 x P. 130 mm 1,78 kg	H. 340 x L. 230 x P. 180 mm 2,45 kg	H. 230 x L. 350 x P. 150 mm 4,42 kg
MADE IN FRANCE	MADE IN FRANCE	MADE IN FRANCE				MADE IN FRANCE	MADE IN FRANCE		
MATERIALS	304L Stainless Steel	304L Stainless Steel	ABS	Stainless Steel	Steel	Steel	Steel	PC-ABS	ABS
MOUNT	Hang, place on a flat surface or mount on a wall	Hang from the ceiling or mount on a wall	Hang, place on a flat surface or mount on a wall	Hang from ceiling	Hang from the ceiling or mount on a wall	Hang, place on a flat surface or mount on a wall	Hang, place on a flat surface or mount on a wall	Hang from the ceiling or mount on a wall	Hang, place on a flat surface or mount on a wall
CERTIFICATIONS	CE - IP54 Class I HACCP	CE - IP20 Class I HACCP	CE - IP24 Class II HACCP	CE - IP20 Class I HACCP	CE - IP20 Class I HACCP	CE - IP20 Class I HACCP	CE - IP20 Class I HACCP	CE - IP20 Class II HACCP	CE - IP20 Class I HACCP

INDUSTRIE PRO IP54

APPROXIMATE PROTECTED AREA • 80 W = 200 m²



INDUSTRIE PRO IP54 BUG ZAPPER 80 W Fragment retention REF 8 55 1174



FRAGMENT RETENTION TUBE 40 W REF 2 20 0340

MADE IN FRANCE

PRODUCT ADVANTAGES

- Robust
- Hang, place on a surface or mount on a wall
- Suitable for humid environments: IP54

CHARACTERISTICS

- Power supply: 230 V 50 Hz
- Grid voltage and intensity: 3700 V 9 mA
- Rated power: 60-100 Wmax
- Material: 304L Stainless Steel
- Class I
- IP54
- 2 tubes included per device
- 2 year warranty
- Dim.: 630 (L) x 300 (H) x 155 (D) mm

INDUSTRIE

APPROXIMATE PROTECTED AREA • 40 W = 120 m² / 80 W = 200 m²



	FLYING INS	ECT KILLER	SPARE BULB		
	STANDARD	FRAGMENT RENTENTION	STANDARD	FRAGMENT RENTENTION	
• 40 W	REF 8 55 837	REF 8 55 837 TAE	REF 2 20 0338 TUBE 20 W	REF 2 20 0089 TUBE 20 W	
• 80 W	REF 8 55 838	REF 8 55 838 TAE	REF 2 20 0339 TUBE 40 W	REF 2 20 0340 TUBE 40 W	
• 80 W GLUE	REF 8 55 839	REF 8 55 838 TAE	REF 2 20 0339 TUBE 40 W	REF 2 20 0340 TUBE 40 W	



GLUE STRIPS (pack of 6) 175 x 610 mm REF 8 88 840



PRACTICAL
Opening system makes
it easy to clean

MADE IN FRANCE

PRODUCT ADVANTAGES

- Robust
- Hang from the ceiling or mount on a wall
- Automatically shuts off when the grid is opened

- Power supply: 230 V 50 Hz
- Grid voltage and intensity: 3700 V 9 mA
- Rated power: 60-100 Wmax
- Material: 304L Stainless Steel
- Class I
- IP20
- 2 tubes included per device
- 2 year warranty
- Dim.: 617 (L) x 280 (H) x 110 (D) mm

LED | ECØDESIGN

APPROXIMATE PROTECTED AREA

80 m²



LED BUD ZAPPER REF 8 55 1598 LED LAMP REF 2 20 2657

STANDARD

APPROXIMATE PROTECTED AREA $30 \text{ W} = 80 \text{ m}^2 / 40 \text{ W} = 120 \text{ m}^2 / 80 \text{ W} = 200 \text{ m}^2$



	FLYING INS	ECT KILLER	SPARE BULB		
	STANDARD	FRAGMENT RENTENTION	STANDARD	FRAGMENT RENTENTION	
• 30 W	REF 8 55 625	REF 8 55 626	REF 2 20 0639	REF 2 20 0781	
• 40 W	REF 8 55 627	REF 8 55 628	REF 2 20 0338	REF 2 20 0089	
• 80 W	REF 8 55 629	REF 8 55 630	REF 2 20 0339	REF 2 20 0340	

GLUE 30 W

APPROXIMATE PROTECTED AREA 30 W = 80 m²



FLYING INS	ECT KILLER	SPARE BULB		
STANDARD	FRAGMENT RENTENTION	STANDARD	FRAGMENT RENTENTION	
REF 8 55 524	REF 8 55 594	REF 2 20 0639	REF 2 20 0781	

GLUE STRIPS (pack of 10) 460 x 295 mm REF 8 88 525

PRODUCT ADVANTAGES

- Low energy consumption
- ◆ Very long life LED bulb
- Open 360° for maximum attraction

CHARACTERISTICS

- Open 360°
- Place on the ground or hang
- Easy to clean insect recovery tray
- Power supply: 220-240 V 50-60 Hz
- Power: 13 W
- Bulb type: LED
- Voltage on the grid: 4000 V
- Material: heat resistant ABS
- Class II
- IP20
- 2 year warranty
- Dim.: 470 (L) x 255 (D) x 100 (H) mm

PRODUCT ADVANTAGES

- Stainless Steel
- On/off switch

CHARACTERISTICS

- Power supply: 230 V 50 Hz
- Grid voltage and intensity: 3800 V - 10 mA
- 3 powers: 2 x 15 W 2 x 20 W 2 x 40 W
- Power cord with plug (95 cm)
- Material: Stainless Steel
- Class I
- IP20
- 2 tubes included per device
- 2 year warranty
- Dim. (30 W): 515 (L) x 325 (H) x 70 (D) mm
- Dim. (40 & 80 W): 660 (L) x 365 (H) x 70 (D) mm

PRODUCT ADVANTAGES

- Place on a surface or mount on a wall
- Compact size makes it easy to move

- Power supply: 230 V 50 Hz
- Power: 45 W
- Fuse accessible from the exterior
- Power cord with plug (1.80 m)
- Material: glossy white steel
- Class I
- IP20
- 2 tubes included per device
- 2 year warranty
- Dim.: 465 (L) x 285 (H) x 95 (D) mm

DECO 20 W

APPROXIMATE PROTECTED AREA • 20 W = 30 m²



DE CO Black REF 8 55 1292



DECO Red REF 8 55 1293



DECO White REF 8 55 1291

E14 SCREW TUBE BULB REF 2 20 1887

GLUE STRIPS (pack of 6)

REF 8 88 1294

COMPACT 20 W

APPROXIMATE PROTECTED AREA • 20 W = 50 m²



COMPACT 20 W Black REF 8 55 1327





COMPACT 20 W Red REF 8 55 1328



COMPACT 20 W White REF 8 55 1326

E14 SCREW TUBE BULB REF 2 20 1887





• Power cord with plug (1 m)

· Material: glossy steel

• 1 bulb included (20 W) • 2 year warranty

• Dim.: 160 (L) x 270 (H) x 130 (D) mm

• Class I • IP20

DESINSECTIVOR 30 W



DESINSECTIVOR (2 speeds) REF 8 55 1361

DESINSECTIVOR TUBE REF 2 20 2098

PRODUCT ADVANTAGES



HYGIENIC No insect parts

thrown off



ECO-FRIENDLYNo chemincal substances



INNOVATION With no glue or electric grid, the desinsectivor aspirates insects into its trap

CHARACTERISTICS

- Power supply: 220-240 V 50-60 Hz
- Power: 55 W
- Plastic cover
- Class II
- IP20
- 1 tube included (30 W)
- 2 year warranty
- Dim.: 230 (L) x 340 (H) x 180 (D) mm

COMMERCE 30 W



PROFESSIONNAL BUG ZAPPER 30 W REF 8 55 078

TUBE 15 W (REF 8 55 078) **REF 5 20 0337**

PRODUCT ADVANTAGES



- Power supply: 230 V 50 Hz
- Plastic cover
- Class I
- IP20
- 2 tubes included (15 W)
- 2 year warranty
- Dim.: 350 (L) x 230 (H) x 150 (D) mm



WASTE SORTING

EVERYTHING YOU NEED TO KNOW TO CHOOSE THE RIGHT BIN

SORTING: A MANDATORY REQUIREMENT

New European regulations and the French Energy Transition Law are increasing companies' obligations in respect of waste treatment. As a result, all French companies with more than 20 office workers have been required to sort and recycle their office paper since 1 January 2018. Companies, shops and administrations which entrust their waste to a private company or which generate more than 1,100 litres of waste per week and which use a public waste collection service must also organize their flows of paper, metal, plastic, glass and wood.

WASTE SORTING: A CLIMATE ACTION

If waste is not sorted, it cannot be recycled. The recycling process transforms waste into secondary raw materials, giving them a new lease of life. Thanks to appropriate sorting solutions (based on signage, form and size), employees are included in an eco-responsible movement that is beneficial to the company. JVD also offers solutions that can help you take your eco-responsible strategy a step further. By using our bins made of recycled cardboard or plastic, you can further reduce the impact of your waste on the climate.



To simplify the sorting process and encourage employees to take part in this eco-responsible approach, the choice of bin location is key. For example, bins for paper and other waste should be placed near office space, while larger sorting solution can be set up in break areas. Lastly, we recommend creating a clearly indicated, dedicated sorting area, close to where employees congregate, where you can house all your sorting containers.





In addition to choosing the right location, it is also important to select the right receptacles. JVD offers a wide array of solutions designed for any setting, all of which are visible, easy to understand, easy to empty and

suited to the quantity of waste produced.

SORTING INTO THE RIGHT SOLUTIONS

CARDBOARD BINS | EC@DESIGN





MADE IN FRANCE PRODUCT ADVANTAGES **PRACTICAL** Wide opening and visualization of the filling level **HYGIENIC** Little contact with the ground • 100% FSC or recycled cardboard • Delivered flat to limit transport impact • Easy attachment of the garbage bag **CHARACTERISTICS** • Material: FSC or recycled cardboard • REF. 8 99 2105: sold by 3 pieces • REF. 8 99 2106: sold by 10 pieces • Dim. (8 99 2106):

H.223 x L.226 x P.145 mm

H.815 x L.355 x P.375 mm

• Dim. (8 99 2105):

BINS | WASTES SORTING

SORTING BIN WITH 2 CONTAINERS



DESIGNED IN FRANCE

PRODUCT **ADVANTAGES**

- 10 L capacity
- Rubber protection at base
- Water and rust resistant inner containers

CHARACTERISTICS

- Material: painted metal or Stainless Steel
- · Capacity: 10 L
- · Outer colour: Black
- 2 compartments of 5 L each

Dimensions and capacity:

225 (Ø) x 270 (H) mm / 10 L

SORTING BIN



SORTING BIN BLACK 3 Coloured Containers REF 8 99 1086

SORTING BIN BI ACK 3 Black Containers REF 8 99 881



SORTING BIN BRUSHED STAINLESS STEEL 3 Black Containers REF 8 99 1031



PRODUCT **ADVANTAGES**

- Unique design for sorting small waste
- 6 stickers included
- Easy to empty thanks to integrated handles

CHARACTERISTICS

- Rubber protection at the base to prevent scratching the floor
- Capacity: 3 x 3.3 L
- Outer colours: Black or **Brushed Stainless Steel**
- Removable containers (Black or colours)
- Dim.: 245 (Ø) x 300 (H) mm

SORTING BIN WITH 2 CONTAINERS



RECTANGULAR SORTING BIN WITH 2 CONTAINERS REF 88 99 1261

DESIGNED IN FRANCE

PRODUCT ADVANTAGES

- Easy to empty (2 containers)
- Robust (steel outer) container)

CHARACTERISTICS

- · Outer containers of epoxy steel
- · Inner containers of polypropylene
- · Outer colour: Black

Dimensions and capacity:

 Rectangular: 270 (L) x 290 (H) x 210 (D) mm / 14 L

BIN + SORTING CONTAINER



RIN 25 L blue REF 8 99 1422

SORTING CONTAINER 6 L REF 8 99 1496

RECTANGULAR BIN



RECTANGULAR BIN 6,6 L

REF 8 99 1420

REF 8 99 1421

PRODUCT ADVANTAGES

- Tight 6 L container for waste and 25 L container for paper
- · Outer colour: blue

8 99 1422:

• Dim.: 355 (L) x 390 (H) x 253 (D) mm

8 99 1496:

- Dim.: 255 (L) x 238 (H) x 170 (D) mm
- · Material: plastic
- · Scratch resistant and easy to clean
- Outer colour: Grey

8 99 1420:

• Dim.: 235 (L) x 260 (H) x 162 (D) mm

8 99 1421:

• Dim.: 317 (L) x 270 (H) x 200 (D) mm

WASTE BIN

DOUBLE WALL



WASTE BIN 10 L Single Wall Satin Stainless Steel REF 8 99 1007



WASTE BIN 10 L Double Wall Black REF 8 99 546

SINGLE WALL



PERFORATED BIN 10 L Mirror Stainless Steel

REF 8 99 545



Single Wall Black Leather REF 8 99 1087



WASTE BIN 10 L



WASTE BIN 10 L Single Wall Leather REF 8 99 1088

CHARACTERISTICS

Perforated bin:

- Rubber protection at the base to prevent scratching the floor
- Colour: Mirror Stainless Steel
- Dim.: 200 (Ø) x 297 (H) mm

Waste bin:

- Double wall system to conceal the bag and hold it in place
- · Colours: Black, Satin Stainless Steel or Leather
- Dim.: 225 (Ø) x 270 (H) mm

STAINLESS STEEL BIN | SMART OPTION®

Available with HygiaConnect® (cf. pages 8 & 9)

NEW MODEL



POUBELLE REF 8 99 2114

PRODUCT **ADVANTAGES**

- Premium design
- 100 % antibacterial
- Corrosion resistant. anti-vandal 304 Stainless Steel

DESIGNED IN FRANCE

PRODUCT ADVANTAGES



PRACTICAL Integrated bag holder

- Anti-vandalism (304 Stainless Steel)
- Wall fixation
- Easy to clean

CHARACTERISTICS

- Material: 304 Stainless Steel
- Capacity: 60 L
 Dim. (20 L): 335 (L) x 245 (D) x 665 (H) mm

HALF-MOON WALL-MOUNTED BIN



HALF-MOON WALL-MOUNTED BIN White 20 L REF 8 99 1416 White 40 L REF 8 99 1417



HALF-MOON WALL-MOUNTED BIN Black 20 L REF 8 99 1418 Black 40 L REF 8 99 1419

DESIGNED IN FRANCE

PRODUCT ADVANTAGES

- Easy to mount
- Easy to empty
- Non-cutting edge
- Wall mount included

CHARACTERISTICS

- Material: painted epoxy steelChoice of 2 colours: Black or White
- Dim. (20 L):
- 350 (L) x 190 (D) x 495 (H) mm
- Dim. (40 L): 400 (L) x 210 (D) x 660 (H) mm

HALF-MOON WALL-MOUNTED BIN | SMART OPTION())

Available with HygiaConnect® (cf. pages 8 & 9)



HALF-MOON WALL-MOUNTED BIN White 40 L REF 8 99 1450

PRODUCT ADVANTAGES



EASY To install with the wall mounting system

- Bin material: polypropene
- Wall mount material: epoxy
- Capacity: 40 L Dim.: 400 (L) x 610 (H) x 280 (D) m

ROUND PEDAL BIN



PEDAL BIN 3L Matte Black REF 8 99 1785

White



PEDAL BIN 3 L Mirror Stainless Steel REF 8 99 435



PEDAL BIN 3 L White REF 8 99 432

REF

8 99 434



PRACTICAL Plastic container makes

	
	•

REF

8 99 820

it easy to clean

	3 L	5 L	12 L	20 L	30 L
Black	REF 8 99 1785	REF 8 99 1786			
Inox	REF 8 99 435	REF 8 99 436	REF 8 99 437	REF 8 99 821	REF 8 99 998

REF

8 99 433

PRODUCT ADVANTAGES

- Plastic inner container
- Smooth material, very easy to clean
- Wide range of capacities 3-30 L

CHARACTERISTICS

- · Material:
- Metal exterior
- Plastic inner container
- Rubber protection at the base against scratching the floor and detergents
- · Increased mobility thanks to its handle
- · Robust opening mechanism: 100% metal
- Floor grip reinforced by two rubber pads
- Colours: Matte Black, Mirror Stainless Steel (18/0) or White
- Dim. (3 L): 167 (Ø) x 270 (H) mm
- Dim. (5 L): 203 (Ø) x 284 (H) mm
- Dim. (12 L): 284 (Ø) x 400 (H) mm
- Dim. (20 L): 292 (Ø) x 445 (H) mm
- Dim. (30 L): 292 (Ø) x 640 (H) mm

SWING TOP

REF

8 99 432



- SWING TOP White 50 L REF 8 99 1085
- SWING TOP White 25 L REF 8 99 1084
- SWING TOP White 10 L REF 8 99 1083



REF

8 99 997

PRACTICAL Swing top

PRODUCT ADVANTAGES

- Suitable for any indoor location
- Cost-effective
- Swing top
- Easy to empty

CHARACTERISTICS

- Material: polypropylene
- Capacity: 10, 25 and 50 L
 Colour: White
- Dim. (10 L): 246 (L) x 373 (H) x 198 (D) mm
- Dim. (25 L): 346 (L) x 511 (H) x 278 (D) mm
- Dim. (50 L):
- 406 (L) x 668 (H) x 340 (D) mm

LADYBOX | SMART OPTION 1)

Available with HygiaConnect® (cf. pages 8 & 9)



LADYBOX REF 8 99 865



HYGIENIC Opens with a foot pedal

to avoid all direct contact

PRODUCT ADVANTAGES

- Robust
- Narrow shape suited to space in a washroom
- Hygienic opening
- Tight waste deposit area
- Easy to clean

- Capacity: 20 L (50 L bag)
- · Material: polypropylene (for intensive usage)
- Colours: Grey (lid) / White (recovery container)
- Retaining ring for the bag inside the container • Dim. (10 L): 480 (L) x 415 (H) x 175 (D) mm

SORTING BIN | WASTES SORTING



SORTING BIN Brushed Stainless Steel REF 8 99 1005



SORTING BIN Black Epoxy REF 8 99 1080

PRODUCT ADVANTAGES

- Compact sorting solution (offices and bedrooms)
- 3 removable compartments of galvanized steel
- Easy to empty
- Stickers included

CHARACTERISTICS

- Material: painted metal or Stainless Steel
- · Capacity: 40 L
 - 2 compartments of 10 L each
 - 1 compartments of 20 L
- Colours: Black Epoxy or Brushed Stainless Steel
- Dim.: 335 (Ø) x 470 (H) mm

SORTING BIN | WASTES SORTING



SORTING BIN 60 L **Brushed Stainless Steel** REF 8 99 1081



SORTING BIN 60 L Black REF 8 99 1004

PRODUCT ADVANTAGES



PRACTICAL Galvanized steel container with handle

- Compact sorting solution
- Easy to empty with its 3 removable compartments of galvanized steel
- Stickers included to identify the purpose of each container

CHARACTERISTICS

- · Material: painted metal or Stainless Steel
- · Capacity: 60 L
 - 2 compartments of 15 L each
- 1 compartments of 30 L
- Colours: Black Epoxy or Brushed Stainless Steel
- Dim.: 355 (Ø) x 670 (H) mm

BATTERY RECYCLING BIN | WASTES SORTING



BATTERY RECYCLING BIN 37 L REF 8 99 1429



BATTERY RECYCLING BIN 12 L REF 8 99 1428

PRODUCT ADVANTAGES



SILENT Thanks to padding at the bottom

- Locks with a key (included)
- Stickers included

- · Material: recyclable plexiglass
- Capacity: 12 or 37 L Dim.: (12 L): 250 (Ø) x 250 (H) mm • Dim.: (37 L): 250 (Ø) x 750 (H) mm
- Opening: 11 x 3.8 cm

OPEN DOME SORTING BIN | WASTESSORTING



OPEN DOME BIN 40 L Blue REF 8 99 1424



OPEN DOME BIN 40 L Green REF 8 99 1423



OPEN DOME BIN 40 L Red REF 8 99 1427



OPEN DOME BIN 40 L Stainless Steel REF 8 99 1426



OPEN DOME BIN 40 L Yellow REF 8 99 1425

PRODUCT ADVANTAGES

- Coloured tops to help identify what goes where
- 5 colours: Stainless Steel, Green, Blue, Red and Yellow
- Rubber protection at the base to prevent scratches

CHARACTERISTICS

- · Material: outer bin of Brushed Stainless Steel; Inner container of galvanized steel
- Removable open dome lid
- Dim.: 350 (Ø) x 785 (H) mm

PUSH BIN



PUSH BIN 40 I Mirror Stainless Steel REF 8 99 539



PUSH BIN 40 L Black REF 8 99 538

PRODUCT ADVANTAGES



PRACTICAL Galvanized inner container with handle (included)

- Opens and automatically closes with a reinforced push door of polished Stainless Steel
- Rubber ring at the base to protect against scratching the floor and detergents

CHARACTERISTICS

- · Suitable for use indoors and in protected outdoor locations
- Inner container of galvanized metal fitted with a handle
- Capacity: 40 L
- Colour: Black or Mirror Stainless Steel
- Dim.: 345 (Ø) x 785 (H) mm

SORTING STATION | WASTES SORTING



WASTE SORTING STATION Black REF 8 99 1430



WASTE SORTING STATION Transparent REF 8 99 1431



WASTE SORTING STATION Grey REF 8 99 1432



WASTE SORTING STATION Inox REF 8 99 1433

PRODUCT ADVANTAGES

- Refined design for a large capacity sorting solution
- Easy to empty using its 3 inner containers of galvanized steel or its bin bag holders
- Stickers included to identify the purpose of each container

- Material: painted epoxy metal (8 99 1430 and 8 99 1432), 201 Stainless Steel (8 99 1433), metal & acrylic (8 99 1431)
- · Capacity: 150 L
 - 2 compartments of 40 L each
 - 1 compartments of 70 L
- Dim.: 822 (L) x 850 (H) x 450 (D) mm

SORTING BINS | WASTES SORTING



Bottles / Cups / Cans Opening: 10,5 x 10,5 cm



SORTING LID Yellow REF 8 99 1102

Paper Opening: 3 x 23 cm



SORTING LID PAPER Blue REF 8 99 1103

Bottles / Cups / Cans Opening: Ø 12 cm



SORTING LID Green REF 8 99 1100

Other waste



SORTING LID Grey REF 8 99 1099

Bottles / Cups / Cans Opening: Ø 12 cm



SORTING LID Blue REF 8 99 1101

Other waste



PUSH SORTING LID REF 8 99 1104



PRACTICAL PLASTIC DOLLY for 60 & 80 L sorting bins REF 8 99 1105



SECURE Locking system for 60 & 80 L sorting bins

PRODUCT ADVANTAGES







→ contact us to discuss

CHARACTERISTICS

- Material: polypropylene
- Capacity: 60 or 80 L
 Dollies and lid locking systems available for this range of sorting bins
- Dim. (60 L):
- 320 (L) x 580 (H) x 460 (D) mm
- Dim. (80 L): 320 (L) x 762 (H) x 460 (D) mm
- Dolly: 480 (L) x 15 (H) x 355 (D) mm

Sorting bins




SORTING BIN 80 L Witout lid REF 8 99 1098

SORTING BIN 60 L Witout lid REF 8 99 1097

CONTAINER





70% recycled plastic Antimicrobial treatment Antibacterial treatment

PRODUCT ADVANTAGES

- Comes pre-assembled
- 6 sorting stickers included
- Mutiple combinations: The lids come in

The containers come in

→ contact us to discuss

CHARACTERISTICS

- Compatible with the HACCP protocol
- Made of polypropylene for intensive usage
- · Auto close lid
- On the 90 L model, a ring in front of the pedal reinforces the bin's stability
- Built-in casters (90 L model only)
- Dim. (30 L):
- 400 (L) x 435 (H) x 410 (D) mm
- Dim. (45 L):
- 400 (L) x 600 (H) x 410 (D) mm
- Dim. (70 L):
- 410 (L) x 675 (H) x 500 (D) mm
- Dim. (90 L):
- 410 (L) x 820 (H) x 500 (D) mm

PEDAL BIN BAG HOLDER



BIN BAG HOLDER 18/0 Stainless Steel REF 8 99 882

304 Stainless Steel REF 8 99 1075

PRODUCT ADVANTAGES

- Slient foot pedal
- Resistant: 304 Stainless Steel
- 2 casters at the back to simplify mobility with a breaking system

- Comes as a kit: ready to assemble
- Made of Stainless Steel (18/0 or 304) and rubber
- Reinforced stability with 4 legs
- Assisted opening and closing
- Bag held in place with a rubber band
- Finish: Chrome
- Dim. (8 99 882): 550 (L) x 940 (H) x 425 (D) mm
- Dim. (8 99 1075): 590 (L) x 1000 (H) x 430 (D) mm



EVERYTHING YOU NEED TO KNOW TO CHOOSE THE RIGHT ASHTRAY

WALL-MOUNTED ASHTRAYS

Wall-mounted ashtrays are to be fixed to the wall. Made of painted steel or Stainless Steel, they are very discreet and work great anywhere thanks to their compact size.

STANDING ASHTRAYS

Standing ashtrays are set up directly on the ground, where they can be fixed or not so they can be moved. Whether made of painted steel or Stainless Steel, their delicacy adds a touch of elegance to your smoking areas.

ASHTRAYS WITH BINS

Ashtrays with bins can save space while keeping your outdoor areas clean. They allow employees and visitors to throw out waste like cups and packaging.

FRENCH DECREE 2015-337

In Paris and most other cities and towns in France, the fight for cleanliness has become a priority. As a result, people who drop litter on public roads may receive a €68 ticket.

Establishments which are open to the public are therefore motivated to provide solutions: ashtrays, bins and combinations of the two can help contribute to meeting this policy.

Additionally, regulations on sidewalk cafés have become stricter. Because of this, many sidewalk café charters have been put in place or updated to compel owners to provide ashtrays to their customers.



WALL-MOUNTED ASHTRAYS



WALL-MOUNTED ASHTRAYS 3 L + integrated 14 L collector REF 8 99 1170



WALL-MOUNTED ASHTRAYS 1,5 L REF 8 99 501



WALL-MOUNTED ASHTRAYS 3 L REF 8 99 502



WALL-MOUNTED ASHTRAYS Slim 3 L

REF 8 99 1452

BASE AND STAND FOR SLIM WALL-MOUNTED ASHTRAY Slim 3 L REF 8 99 1451



ANTI-VANDALISM Key locking system



READY TO INSTALL Mounting kit included

PRODUCT ADVANTAGES

- Designed for outdoor use
- Protected against the rain
- Fast and easy to empty
- Easy to clean smooth surface

CHARACTERISTICS

- Galvanized steel and epoxy exterior for better corrosion resistance
- · UV-treated coating
- Grained texture to prevent scratching
- Inner container of galvanized steel
- Stubbing area made of Stainless Steel
- · Key locking system
- · Mounting kit included

Capacities & dimensions: 8 99 1170:

- 3 99 1170:
- 3 L (900 butts) + collector: 14 L
- 300 (L) x 670 (H) x 140 (D) mm

8 99 501:

- 1.5 L (150 butts with a 0.5 L container)
- 150 (L) x 255 (H) x 60 (D) mm

8 99 502:

- 3 L (300 butts with a 0.5 L container)
- 191 (L) x 355 (H) x 60 (D) mm

8 99 1452:

- 3 L (900 butts)
- 100 (L) x 500 (H) x 64 (D) mm

8 99 1451:

• 250 (L) x 990 (H) x 200 (D) mm

TOTEM WALL-MOUNTED



TUBULAR ASHTRAY Aluminium 3,4 L REF 8 99 1000



TUBULAR ASHTRAY Mirror Stainless Steel 1,7 L with protective roof

REF 8 99 1076



PRODUCT ADVANTAGES

- Designed for protected outdoor use
- Very attractive with a brushed or shiny finish
- Fast and easy to install
- Fire resistant

CHARACTERISTICS

- Key locking system
- Wall-mounted
- Mounting kit included

Material:

8 99 1000:

• Brusehd aluminium

8 99 1076:

• Shiny Stainless Steel

Capacities & dimensions: 8 99 1000:

8 99 1000:

- Ashtray 1.7 L (510 butts)
- 76 (Ø) x 460 (H) mm

8 99 1076:

- Ashtray 3.4 L (1020 butts)
- 80 (Ø) x 680 (H) mm

ASHTRAYS WITH BINS



ASHTRAY 3 L AND CONTAINER 29 L REF 8 99 1062

CENDRIER 4,7 L ET CONTENEUR 48 L REF 8 99 1082



CENDRIER 2 L ET CONTENEUR 8 L REF 8 99 615



PRACTICAL Galvanized inner container

PRODUCT **ADVANTAGES**

- Designed for outdoor
- Protected against bad weather
- Fast and easy to empty

CHARACTERISTICS

- · Material: galvanized steel (rust and corrosion resistant)
- · UV-treated coating
- · Inner container of galvanized steel
- Stubbing area made of Stainless Steel
- · Possibility of fixing to the ground
- Key locking system
- · Ground fixing kit included
- · Colour: Charcoal Grey

Capacities & dimensions: 8 99 1062

- Ashtray 3 L (900 butts) + container 29 L
- 300 (L) x 990 (H) x 250 (D) mm

8 99 1082:

- Ashtray 4.7 L (1400 butts) + container 48 L
- 480 (L) x 990 (H) x 250 (D) mm

8 99 615:

- Ashtray 2 L (600 butts) + container 8 L
- 400 (L) x 1040 (H) x 260 (D) mm

RECTANGULAR TOTEM



STANDING ASHTRAY 12,5 L REF 8 99 503

PRODUCT **ADVANTAGES**

- Designed for outdoor
- Protected against the
- Fast and easy to empty
- Easy to clean smooth surface

CHARACTERISTICS

- · Inner container of galvanized steel
- Stubbing area made of Stainless Steel (2 openings)
- Galvanized steel and epoxy exterior for better corrosion resistance
- · UV-treated coating
- · Key locking system
- · Ground fixing kit (screws and bolts) included
- Weighted base to ensure stability (7.4 kg)

Capacities & dimensions:

- 2.5 L (3.750 butts)
- 400 (L) x 1040 (H) x 400 (D) mm

TOTEM **TUBULAR**



TUBULAR STANDING ASHTRAY 3 L REF 8 99 616



ROBUST Galvanized inner container

PRODUCT ADVANTAGES

- Designed for outdoor
- Fully galvanized, resistant to bad weather and UV rays
- Fast and easy to empty (container accessible from above)

CHARACTERISTICS

- · Inner container of galvanized steel
- Stubbing area made of Stainless Steel (4 openings)
- Galvanized steel and epoxy exterior for better corrosion resistance
- UV-treated coating
- · Ground fixing kit (screws and bolts) included
- · Weighted base to ensure stability (6.5 kg)

Capacities & dimensions:

- 3 L (900 butts)
- 300 (Ø) x 1080 (H) mm

TOTEM TUBULAR STAINLESS STEEL



TUBULAR ASHTRAY Mirror Stainless Steel 1.4 L desktop with protective roof

REF 8 99 1003



PRACTICAL 2 different emptying systems

PRODUCT ADVANTAGES

- Designed for outdoor
- Very attractive with a brushed or shiny finish
- Possibility of fixing to the ground

CHARACTERISTICS

Colours and materials:

- Shiny 304 Stainless Steel
- Ground fixing kit (screws and bolts) included

Capacities & dimensions:

• 8 99 1003: 1.1 L (330 butts) / 76 (Ø) x 920 (H) mm

SOME OF OUR CLIENTS AROUND THE WORLD



Soho theatre, Málaga, Spain



Challenger, Bouygues Construction head offices, Paris, France



Canopy by Hilton, London



Beaujoire stadium, Nantes, France



Public transport, Bordeaux, France



International school, Douala, Cameroon



Because we respect the environment, JVD prints this catalogue using plantbased inks on eco-friendly paper from sustainably managed forests. JVD invites our partners and clients to send us your email address so we can transmit this information to you directly in electronic form.

Non-binding document. JVD reserves the right to modify our products' characteristics without notice. French business registration no.: RCS 330 927 476. Production: $N\ O\ U\ V\ E\ L\ L\ E\ V\ A\ G\ U\ E$ - Printing: Maqprint - Photos: Garnier Studios, Getty Images





JVD FRANCE

3, rue des Brèches 44406 REZÉ CEDEX (France)

France Sales Department Tel. + 33 (0)2 4075 98 20 jvdfrance@jvd.fr

Export Sales Department Tel. + 33 (0)2 4075 9976/77 jvdexport@jvd.fr

Customer Service Tel. + 33 (0)2 4075 96 30 sav@jvd.fr

JVD ASIA

56 Loyang Way #06-04 -Loyang Enterprise Building -SINGAPORE 508775 Tel. + 65 6214 8550 jvd.com.sg

JVD ESPAÑA

c/juan de herrera, 14 Elche parque industrial 03203 ELCHE Alicante España Tel. + 34 965 677 777 jvd.es

JVD AMERICAS

Conjunto quadrum Acceso No.3 No.16A Int.15A, Qro. Parque Industrial Benito Juaréz. C.P. 76120 Santiago de Querétaro

MÉXICO

Tel.: + 52(442) 161 2595 jvd.mx