

CATALOG 2022

PREMIUM GUEST EXPERIENCE

PROFESSIONAL EQUIPMENT FOR HOTELS AND RESTAURANTS

 **DOMETIC** **PROFESSIONAL**

THE NUMBER ONE CHOICE

Welcome to Dometic!

Whether it's a family-run Bed & Breakfast or the world's first 7-star hotel, the hospitality industry trusts us to deliver high-quality solutions for enhanced guest satisfaction. Today you can find millions of Dometic minibars, room safes and wine coolers in hotels of all star categories across the world – something we are very proud of. The best products are now here for you to explore. Welcome to our new catalog – enjoy browsing and let us know what we can do for you.



MINIBARS

Choose from our comprehensive range of minibars. Find the solution to suit the requirements of your guests the style of your interior.


PAGE 06 – 29



CRUISE LINE

Range of minibars for cruise line

PAGE 30 – 35



SAFES

Enhance the well-being of your guests by giving them the peace of mind that their valuables are safely stored.

PAGE 36 – 47



WINE COOLERS

Full range of NEW wine coolers.

PAGE 48 – 61



MOBAR

The NEW innovative mobile bar.

PAGE 62 – 71



RESTAURANT & CATERING

Food delivery solutions.

PAGE 72 – 79

MINIBARS

Dometic minibars intro	6 – 13
New HiPro minibars	14 – 19
Drawer minibars	20 – 21
Compact minibars	22 – 23
HiPro 6000 minibar	24 – 25
Silencio Food Line	26 – 27
New HiPro exchange guide	28 – 29
Cruise Line minibars	30 – 35

SAFES

Dometic safes intro	36 – 39
Dometic Premium Class	40 – 43
Dometic Standard Class	44 – 47

WINE COOLERS

Dometic wine coolers intro	48 – 49
New DrawBar	50 – 53
New built-in wine coolers	54 – 57
New free-standing wine coolers	58 – 59
New wine cooler accessories	60 – 61

MOBAR

New MoBar	62 – 71
-----------	---------

RESTAURANT & CATERING

Restaurant & Catering intro	72 – 73
Cool boxes	74 – 77
New delivery box	78 – 79

DOMETIC ON THE WEB

Here's where you can find the complete Dometic range, with detailed information about all products. Plus, interesting facts about our company and download links for all our catalogs.

DOMETIC.COM





GIVE YOUR GUESTS AN UNFORGETTABLE STAY

You will find more Dometic minibars and safes than any other make in first-class hotels across the world. Why? Know-how accumulated over 50 years, a track record of innovation as well as leading design solutions are the three main reasons.

The top of the line new Dometic HiPro Evolution and Alpha range minibars are developed with your business experience in mind. A sustainable minibar is a smart minibar. The new HiPro Evolution range is just that. Boasting precise temperature control, world-class efficiency and the best minibar cooling capacity, the premium Dometic HiPro range ensures chromate-free absorption technology checks in for a clean, sustainable future in your hotel.

Our modern and energy-efficient range of noiseless drawer minibars (Dometic DM 20 drawer minibar).



New Dometic HiPro minibars
The world’s best minibars

The state-of-the-art design of Dometic HiPro will help you create a premium in-room feeling. With sleek design, elegant illumination and crystal clear doors, invite your guests to treat themselves to something special.

Sustainability checking in

Sustainability means doing more with less. It’s a philosophy we put into action with outstanding energy efficiency and the first chromate free minibar range on the market. A sustainable minibar is a smart minibar. The all new HiPro range delivers more powerful cooling with up to 40% less energy consumption, making a visible difference OPEX for hotel owners.

Read more on this on p. 12



Dometic drawer minibars
Unique design, outstanding construction

Our drawer minibars are a class of their own in terms of design, size and functionality. Noiseless cooling, convenient slide-out access.

Read more on this on p. 20

HOSPITALITY DRIVES SUSTAINABILITY IN OUR INDUSTRY

After having been granted the EnergyStar certification in the USA, Dometic recently scored an “Achiever Level” for its minibar products in the MindClick Sustainability Assessment Program (MSAP) of the hospitality sector. A promising start and the result of a global team effort, the assessment is a strong motivation for the company to keep going in its commitment to Drive Sustainability in Our Industry.

More and more hotel guests today expect a sustainable travel experience. Dedicated to a more sustainable lifestyle, they seek to reduce their overall carbon footprint – including that of their travels. When it comes to choosing their holiday accommodation, they are likely to prefer hotels that share their mindset. The MindClick Sustainability Assessment Program (MSAP) helps traveller and hotel brands to make well informed decisions in the jungle of labels and certifications.

The MindClick methodology rates candidates into three levels based on their scores: Starter, Achiever or Leader. Dometic made its MSAP debut with maximum credits earned in five of nine metrics, with emphasis on raw materials, chemicals of high concern (CoHC), packaging and social and environmental aspects of the production. An important aspect is the fulfilment of all requirements to be REACH and RoHS compliant. That means the world’s No. 1 manufacturer of hotel minibars is currently performing at “Achiever Level”, which is a promising start.



DOUBLE STARAWARD

In addition to numerous other international awards, the Dometic HiPro minibar generation received the golden StarAward in the Food & Beverage category. This well-known award is voted by readers and decision-makers in the hotel industry and thus sets a clear exclamation mark behind this latest generation of minibars.

The Dometic MoBar was also successful and received the gold StarAward in the Technik category.



DOMETIC MINIBARS

Always at your service

Premium can’t be measured. It’s all about the first impression, elegant design, and the silence that your guests appreciate. What can be measured is efficiency. With improved cooling performance and up to 40 % lower energy consumption, it’s clear to see why the HiPro range is considered the world’s best minibar. After more than 50 years in the hotel business and 6 million installed units, we’re proud to say that we’re pioneering the hotel industry. Again.

1. COST REDUCTION
The new HiPro offers best-in-class energy efficiency – no matter which cooling technology is used.

2. SUSTAINABILITY
We work hard to achieve even lower footprints within manufacturing as well as energy consumption.

PIONEERING THE HOTEL INDUSTRY. AGAIN.
We believe in sustainable innovation for a better guest experience.

3. GUEST EXPERIENCE
HiPro will not only deliver premium cooling performance – it is also an attractive and sales promoting feature in the guest room.

4. STRONG PARTNERSHIP
After more than 50 years in the hotel business we have a strong promise to ensure care free maintenance.

COOLING TECHNOLOGY

Dometic HiPro minibars are available with three different cooling technologies: absorption, thermoelectric, and compressor cooling. All have been improved and refined in the new HiPro range with the best cooling capacity and lowest energy consumption on the market – up to 40 % less compared to standard units.

- Improved cooling performance
- Best-in-class energy efficiency
- Sustainable production and footprint
- Global sales and service network

1. ABSORPTION
Up to 40 % lower energy consumption.

2. THERMOELECTRIC
Up to 20 % lower energy consumption.

3. COMPRESSOR
Up to 50 % lower energy consumption.



THE WORLD'S BEST MINIBARS

NEW DOMETIC HIPRO MINIBARS

WE DEVELOPED HIPRO WITH HOTEL GUESTS IN MIND

A well-stocked minibar is an expected and appreciated hotel room feature for well-traveled hotel guests. Let's have a deeper look at some outstanding features we offer to the market with the all-new HiPro minibar generation:

Intelligent modular system to choice between cooling technologies: Economical thermoelectric, long lasting powerful absorption cooling (chromate-free) or compressor cooling technology.

Optional Locking Function (Evolution line only)

Aluminium handle (Evolution line only)

First class energy efficiency and silent cooling thanks new CPC logic (Continuance Performance Control System) with new adaptive control technology.

Unique clip & click sliding hinge for easy assembly.

Easy-to-clean, new look interior with hygienic, smooth surface without grooves and joints.

Frameless glass door

High quality tempered glass door shelves with decorative stainless steel trim. (Evolution line only)

Menu Celebrating Illumination for highlighting your minibar menu (Evolution line only)

Improved usability: Optimized interior for flexible arrangement of the minibar assortment.

Adjustable shelves at door opening angle of 90 °; maximum door opening angle 120 °

Door shelves to fit 1.5 l bottles.

WATCH THE VIDEO
dometic.com/hipro

1

Lower energy consumption
Dometic's new HiPro range will reduce energy consumption by up to 40%.

2

Premium guest experience
New HiPro will be an attractive and sales-promoting feature in the guest room.

3

Improved cooling power
Improved cooling capabilities with updated and optimized functionality.

4

A strong partner
With more than 50 years of experience and more than 6 million installed units; we are a proven partner.



A sustainable minibar is a smart minibar. The new Dometic HiPro range is just that. It's also more efficient with improved cooling and up to 40% less energy consumption. Add to that the first chromate-free absorption inhibitor on the market and sustainability is an easy choice. After more than 50 years in the hotel business and 6 million installed units, we're proud to say that we're pioneering the hotel industry. Again.



N40G



Shelves
Tempered glass with decorative trim



Celebrating menu illumination
Ambient LED lights top + bottom



Door-racks and balconies
Door-rack 1,5 L bottles with tempered glass and decorative trim

HIPRO LINE TECHNICAL DATA	 	 	 	 
	MODEL	EVOLUTION N30S	EVOLUTION A30S	EVOLUTION N40S
Cooling technology	Thermoelectric	Absorption	Thermoelectric	Absorption
Model class (liter)	30	30	40	40
Storage volume (liter)	26	26	33	33
Door type	Stainless steel door	Stainless steel door	Stainless steel door	Stainless steel door
Product dimensions (H × W × D, mm)	520/384/415	520/384/446	550/405/435	550/405/466
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation
Sliding hinge kit	Yes	Yes	Yes	Yes
Variable door hinge	Yes	Yes	Yes	Yes
LED interior light	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom
Input rating (W)	55	60–70	55	60–70
Energy consumption (kWh/24 h)	0.259	0.535	0.262	0.576
Noise level (dB[A])	0	0	0	0
Energy class	F	G	F	G
Features	<ul style="list-style-type: none">• Noiseless• Low energy consumption• Ambient illumination• 1 x door rack with decorative trim• 1 x tempered glass shelf• Adjustable shelf• Aluminium handle• Decorative panel on evaporator	<ul style="list-style-type: none">• Noiseless• Low energy consumption• Ambient illumination• 1 x door rack with decorative trim• 1 x tempered glass shelf• Aluminium handle• Adjustable shelf• Decorative panel on evaporator• Long lasting technology	<ul style="list-style-type: none">• Noiseless• Low energy consumption• Ambient illumination• 2 x door rack with decorative trim• 2 x tempered glass shelf• Adjustable shelf• Aluminium handle• Decorative panel on evaporator	<ul style="list-style-type: none">• Noiseless• Low energy consumption• Ambient illumination• 2 x door rack with decorative trim• 2 x tempered glass shelf• Aluminium handle• Adjustable shelf• Decorative panel on evaporator• Long lasting technology
Options	Key lock	Key lock	Key lock	Key lock



EVOLUTION N30S



EVOLUTION A30S



EVOLUTION N40S



EVOLUTION A40S

See the replacement guide on p. 28 and 29 which new HiPro can replace your existing minibar.











HIPRO LINE TECHNICAL DATA		
		
MODEL	EVOLUTION N30P	EVOLUTION N40P
Cooling technology	Thermoelectric	Thermoelectric
Model class (liter)	30	40
Storage volume (liter)	26	33
Door type	Mirror panel door	Mirror panel door
Product dimensions (H×W×D, mm)	520/384/415	550/405/435
Can be built-in/integrated	With ventilation	With ventilation
Sliding hinge kit	No	No
Variable door hinge	Yes	Yes
LED interior light	Ambient top + bottom	Ambient top + bottom
Input rating (W)	55	55
Energy consumption (kWh/24 h)	0.259	0.262
Noise level (dB[A])	0	0
Energy class	F	F
Features	<ul style="list-style-type: none">NoiselessLow energy consumptionAmbient illumination1 x door rack with decorative trim1 x tempered glass shelfAdjustable shelfAluminium handleDecorative panel on evaporator	<ul style="list-style-type: none">NoiselessLow energy consumptionAmbient illumination2 x door rack with decorative trim2 x tempered glass shelfAdjustable shelfAluminium handleDecorative panel on evaporator
Options	Key lock	Key lock



EVOLUTION N30P



EVOLUTION N40P

HIPRO LINE TECHNICAL DATA					
					
MODEL	EVOLUTION N30G	EVOLUTION A30G	EVOLUTION N40G	EVOLUTION A40G	EVOLUTION C40G
Cooling technology	Thermoelectric	Absorption	Thermoelectric	Absorption	Compressor
Model class (liter)	30	30	40	40	40
Storage volume (liter)	26	26	33	33	33
Door type	Transparent glass door	Transparent glass door	Transparent glass door	Transparent glass door	Transparent glass door
Product dimensions (H×W×D, mm)	520/384/415	520/384/446	550/405/435	550/405/466	550/405/481
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation
Sliding hinge kit	No	No	No	No	No
Variable door hinge	Yes	Yes	Yes	Yes	Yes
LED interior light	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom	Ambient top + bottom
Input rating (W)	55	60–70	55	60–70	45
Energy consumption (kWh/24 h)	0.426	0.704	0.435	0.727	0.130
Noise level (dB[A])	0	0	0	0	33
Energy class	G	G	G	G	C
Features	<ul style="list-style-type: none">NoiselessLow energy consumptionAmbient illumination1 x door rack with decorative trim1 x tempered glass shelf1 x tempered glass shelfAdjustable shelfAluminium handleDecorative panel on evaporator	<ul style="list-style-type: none">NoiselessAmbient illumination1 x door rack with decorative trim1 x tempered glass shelfAluminium handleAdjustable shelfDecorative panel on evaporatorLong lasting technology	<ul style="list-style-type: none">NoiselessLow energy consumptionAmbient illumination2 x door rack with decorative trim2 x tempered glass shelfAdjustable shelfAluminium handleDecorative panel on evaporator	<ul style="list-style-type: none">NoiselessAmbient illumination2 x door rack with decorative trim2 x tempered glass shelfAluminium handleAdjustable shelfDecorative panel on evaporatorLong lasting technology	<ul style="list-style-type: none">High performanceLowest energy consumptionIntegrated silent mode2 x door rack2 x tempered glass shelfAluminium handleAdjustable shelfDecorative panel on evaporato
Options	Key lock	Key lock	Key lock	Key lock	Key lock



EVOLUTION N30G



EVOLUTION A30G



EVOLUTION N40G



EVOLUTION A40G



EVOLUTION C40G

See the replacement guide on p. 28 and 29 which new HiPro can replace your existing minibar.



Many business travellers are constantly on the move living a suitcase life. Most days represent hard work with long hours – arriving late to the room preparing for the next day’s meeting while burning the midnight oil. That’s why the minibar is a much-appreciated feature offering cold beverages and energizing snacks. For the leisure tourist, the hotel minibar is an opportunity to enjoy a cold beverage at the late arrival check-in, after a long city excursion and while getting ready for a fun night out – or perhaps waking up with a need to quench the thirst.



N30S



Shelves
Plastic without decorative trim



Celebrating menu illumination
Top LED light



Door-racks and balconies
Door-rack 1,5 L bottles

HIPRO LINE TECHNICAL DATA					
					
MODEL	ALPHA N30S	ALPHA A30S	ALPHA N40S	ALPHA A40S	ALPHA C40S
Cooling technology	Thermoelectric	Absorption	Thermoelectric	Absorption	Compressor
Model class (liter)	30	30	40	40	40
Storage volume (liter)	26	26	33	33	33
Door type	Metal sheet door	Metal sheet door	Metal sheet door	Metal sheet door	Metal sheet door
Product dimensions (H×W×D, mm)	520/384/415	520/384/446	550/405/435	550/405/466	550/405/481
Can be built-in/integrated	With ventilation	With ventilation	With ventilation	With ventilation	With ventilation
Sliding hinge kit	Yes	Yes	Yes	Yes	Yes
Variable door hinge	Yes	Yes	Yes	Yes	Yes
LED interior light	LED top light	LED top light	LED top light	LED top light	LED top light
Input rating (W)	55	60–70	55	60–70	45
Energy consumption (kWh/24 h)	0.259	0.535	0.262	0.576	0.130
Noise level (dB[A])	0	0	0	0	33
Energy class	F	G	F	G	C
Features	<ul style="list-style-type: none">NoiselessLow energy consumption1 x door rack1 x plastic shelfAdjustable shelf	<ul style="list-style-type: none">Noiseless1 x door rack1 x plastic shelfAdjustable shelfLong lasting technology	<ul style="list-style-type: none">NoiselessLow energy consumption2 x door rack1 x plastic shelfAdjustable shelf	<ul style="list-style-type: none">Noiseless2 x door rack1 x plastic shelfAdjustable shelfLong lasting technology	<ul style="list-style-type: none">High performanceLowest energy consumptionIntegrated silent mode2 x door rack1 x plastic shelfAdjustable shelf
Options	Key lock	Key lock	Key lock	Key lock	Key lock



ALPHA N30S



ALPHA A30S



ALPHA N40S



ALPHA A40S



ALPHA C40S

See the replacement guide on p. 28 and 29 which new HiPro can replace your existing minibar.



Convenient slide-out access, noiseless operation, low energy consumption: Dometic drawer minibars set new standards in design and efficiency. Dometic DM 20 is the world's first noiseless 20-liter class drawer minibar. Having the same width as conventional 30-liter absorption minibars, it will easily replace them. Dometic DM 50 provides 50 liters capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

- Unique design for convenient slide-out access
- Thermoelectric cooling unit for low energy consumption
- Noiseless cooling comfort
- Patented and design awarded technology



DM 20 D



TECHNICAL DATA		
	DM 20 D/F	DM 50 NTE D/F
Model class (liter)	20	50
Storage volume (liter)	15.8	45
Cabinet colors	Anthracite	Anthracite
Dimensions built-in version (H x W x D, in mm)	DM 20 D: 365 x 384 x 428 DM 20 F: 365 x 384 x 398	DM 50 NTE D: 418 x 550 x 517 DM 50 NTE F: 418 x 550 x 487
Can be built-in/integrated	with ventilation	with ventilation
LED interior light	●	●
Input rating (W)	52	75
Energy consumption (kWh/24 h)	0.20	0.25
Noise level (dB[A])	0	0
Features	<ul style="list-style-type: none">• Highly flexibel system of dividers and bottle fingers• DM 20 D: with a decorative anthracite panel and handle• DM 20 F: prepared for a decor panel to match the furniture design of the room	<ul style="list-style-type: none">• Highly flexibel system of dividers and bottle fingers• DM 50 D: with a decorative anthracite panel and handle• DM 50 F: prepared for a decor panel to match the furniture design of the room
Options	<ul style="list-style-type: none">• Lock	<ul style="list-style-type: none">• Lock



Pull-out cool

Removeable and smooth running sliding rails for convenient use.





Light the way

LED interior light – nicely features the snacks and beverages inside.



Organized storage

Simply slides out and self closing drawer provides easy access to the contents.

D models with Dometic front panel – F models with a front panel of your choice	
D Version: Door with anthracite grey Dometic front panel and handle	
F Version: Door with plain front allowing the designer and furniture manufacturer to complete the door finish with a custom front panel based on our specifications (dimensions/ thickness/weight)	
 D Version	 F Version



Available in 20 liter – with or without a glass door. These models offer plenty of room for an appealing product presentation with potential for profit. The RH 429 LDAG with full frame glass door supports consumption for increased turnover.



RH 429 LDAG







Flexible storage
Highly flexible shelving system.



Optional handle
The minibar can optionally be equipped with a handle. (RH 429 LDAG).



Variable door hinge
Easy to change from right to left hand hinge.

		
TECHNICAL DATA		
MODEL	RH 429 LDAG	RH 423 LDA
Model class (liter)	20	20
Storage volume (liter)	18	23
Cabinet color	Anthracite	Anthracite
Dimensions built-in version (H×W×D, mm)	435×422×384	435×422×384
Glass door	Yes	No
Can be built-in/integrated	●	●
Sliding hinge	–	●
Variable door hinge	●	●
LED interior light	●	●
Input rating (W)	75	65
Energy consumption (kWh/24 h)	0.74	0.63
Noise level (dB[A])	0	0
Features	<ul style="list-style-type: none">• 1 adjustable metal shelf with recess for tall bottles• Glass door with aluminium frame	<ul style="list-style-type: none">• 1 door rack for smaller bottles• 1 adjustable metal shelf with recess for tall bottles
Options	<ul style="list-style-type: none">• LED door opening control• Temperature setting by remote control• Also available as stand-alone model (FS version)• Door handle• Lock	<ul style="list-style-type: none">• LED door opening control• Temperature setting by remote control• Also available as stand-alone model (FS version)• Lock



RH 429 LDAG



RH 423 LDA

DOMETIC HIPRO 6000

60 liter minibar

Dometic HiPro has redefined the standards for pioneering minibar design – the result of over decades of consistent development. With the aim of maximum customer satisfaction, we have scrutinised all the requirements of comfort and technology in detail. The result will impress you.

HiPro minibar is distinctive due to their contemporary design and a whole host of innovative technical detail solutions that are so unique that we have grouped them together under the name HiPro technology.

HiPro technology stands for a quality dimension which only Dometic can offer you.

- Modular system of shelves and door racks
- Low energy consumption for noiseless absorption minibars
- Setup diagnosis via LED
- Sensor-controlled LED interior light
- LED door opening control display (optional)
- Temperature setting by remote control
- Clip & Click: door hinge can be changed without tools
- Automatic Defrost



LED light
Energy efficient LED interior light.



Organized storage
Spacious interior is well organized with shelves.



Secure
Lock retrofit possibility.

 	
TECHNICAL DATA	
MODEL	HIPRO 6000
Model class (liter)	60
Storage volume (liter)	48
Cabinet color	Anthracite
Dimensions built-in version (H×W×D, mm)	568×490×475
Can be built-in/integrated	●
Variable sliding hinge	●
Variable door hinge	●
LED interior light	●
Input rating (W)	80
Energy consumption (kWh/24 h)	0.66
Noise level (dB[A])	0
Model versions	Basic, Standard
Features	HiPro Basic <ul style="list-style-type: none">• 2 long shelves• Flat inner door• Integrated door handle HiPro Standard <ul style="list-style-type: none">• 2 short shelves• Inner door with 2 multifunctional racks (one for large bottles and one for small)• Inner door in the “bottle body” design for 1.5-liter bottles• Integrated door handle
Options	<ul style="list-style-type: none">• Lock• Decorative panel• LED door opening control display• Infra-red remote control



HiPro Basic



HiPro Standard



When there is no room for an ordinary refrigerator, a Dometic Food Line mini fridge can be a great advantage. Widely used in hospitals, nursing homes and offices all over the world, these smart products have now arrived in our hotel collection. And for good reason too:

Food Line mini fridges provide silent cooling comfort without compromise. As the only cooling appliances in their class, they are also suitable for storing fresh food. Ideal for Bed&Breakfast inns, guesthouses and smaller hotels:

THE DOMETIC FOOD LINE
MINI FRIDGE

Unique worldwide. No other noiseless refrigerator reaches an interior temperature of 4°C at up to an ambient temperature of 32°C.

Ideal for:

- Nursing homes
- Hospitals
- Offices/meeting rooms
- At home as an additional refrigerator in the bedroom, living room or children’s room
- Student homes/apartments



				
TECHNICAL DATA				
MODEL	DS 200 FS/BI	DS 300 FS/BI	DS 400 FS/BI	DS 600 FS/BI
Model class (liter)	20	30	40	60
Storage volume (liter)	21	27	32	43
Cabinet color	Black or white	Black or white	Black or white	Black or white
Dimensions FS* (H×W×D, mm)	495×422×393	580×422×393	580×422×450	592×486×494
Dimensions built-in version** (H×W×D, mm)	455×422×383	540×422×383	540×422×440	552×486×484
Can be built-in/integrated	with ventilation	with ventilation	with ventilation	with ventilation
Variable door hinge	●	●	●	●
LED interior light	●	●	●	●
Input rating (W)	65	65	65	65
Energy consumption (kWh/24 h)	0.74	0.76	0.76	0.77
Noise level (dB(A))	0	0	0	0
Features	<ul style="list-style-type: none">• Adjustable plastic shelf with recess for tall bottles• Flat inner door• Handle (FS)	<ul style="list-style-type: none">• 2 adjustable plastic shelves with recess for tall bottles• Flat inner door	<ul style="list-style-type: none">• 2 adjustable plastic shelves• 3 adjustable door racks	<ul style="list-style-type: none">• 2 adjustable plastic shelves• 3 adjustable door racks
Options	<ul style="list-style-type: none">• Sliding hinge• Lock	<ul style="list-style-type: none">• Sliding hinge• Lock	<ul style="list-style-type: none">• Sliding hinge• Lock	<ul style="list-style-type: none">• Sliding hinge• Lock

*FS version: with foot frame, door decor panel and back cover, ** BI version: for fully-integrated installation (with sliding hinge, without exterior ABS plastic cabinet, door panel and foot frame)



DS 200 FS/BI



DS 300 FS/BI



DS 400 FS/BI



DS 600 FS/BI



EASY CUSTOMIZING WITH BI MODELS

Designed for built-in use: BI mini fridges are delivered with a sliding hinge to be fastened to the furniture door to compensate for the differing turning points between the furniture and fridge door. That means the refrigerators can be easily fitted with a front panel to suit your interior design concept.

NEW HIPRO REPLACEMENT GUIDE

Which new dometic hipro minibar can replace your old minibar

OLD MODEL	OUTER PRODUCT DIMENSIONS (H X W X D IN MM)	COOLING TECHNOLOGY	NEW MODEL	NET STORAGE VOLUME	OUTER PRODUCT DIMENSIONS (H X W X D IN MM)	INNER PRODUCT DIMENSIONS (H x W x D w/ DR* / D w/o DR* IN MM)	COOLING TECHNOLOGY
HiPro 3000	527 x 388 x 418	Absorption	HiPro Evolution A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
			Alternative:				
			HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			HiPro Evolution N30P	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
HiPro 4000	559 x 405 x 452	Absorption	HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			Alternative:				
			HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N40P	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
RH 439	522 x 380 x 434	Absorption	HiPro Evolution A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
			Alternative:				
			HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			HiPro Evolution N30P	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
RH 449	580 x 422 x 440	Absorption	HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			Alternative:				
			HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N40P	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
RH 548	554 x 401 x 446	Absorption	HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			Alternative:				
			HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N40P	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
RH 131	524 x 380 x 445	Absorption	HiPro Alpha A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
			HiPro Evolution A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
			Alternative:				
			HiPro Alpha N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			HiPro Evolution N30P	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
RH 141	554 x 422 x 451	Absorption	HiPro Alpha A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			Alternative:				
			HiPro Alpha N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N40P	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
RH 430 LD	522 x 384 x 410	Absorption	HiPro Alpha A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
			HiPro Evolution A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
			Alternative:				
			HiPro Alpha N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			HiPro Evolution N30P	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE

OLD MODEL	OUTER PRODUCT DIMENSIONS (H X W X D IN MM)	COOLING TECHNOLOGY	NEW MODEL	NET STORAGE VOLUME	OUTER PRODUCT DIMENSIONS (H X W X D IN MM)	INNER PRODUCT DIMENSIONS (H x W x D w/ DR* / D w/o DR* IN MM)	COOLING TECHNOLOGY
RH 440 LD	554 x 401 x 446	Absorption	HiPro Alpha A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			Alternative:				
			HiPro Alpha N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N40P	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
RH 430 NTE	522 x 384 x 395	NTE	HiPro Alpha N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			HiPro Evolution N30S	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			Alternative:				
			HiPro Evolution N30P	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			HiPro Alpha A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
			HiPro Evolution A30S	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
RH 440 NTE	554 x 401 x 425	NTE	HiPro Alpha N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N40S	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			Alternative:				
			HiPro Evolution N40P	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Alpha A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			HiPro Evolution A40S	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
CL 440 LDC	554 x 401 x 440	Compressor	Hipro Alpha C40S	33L	550 x 405 x 481	436 x 299 x 135/ 242	Compressor
			Hipro Evolution C40S	33L	550 x 405 x 481	436 x 299 x 135/ 242	Compressor
HiPro Vision (Glass Door)	559 x 405 x 465	Absorption	HiPro Evolution A40G	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			Alternative:				
RH 439 LDAG (Glass Door)	522 x 380 x 434	Absorption	HiPro Evolution N40G	33L	550 x 405 x 435	436 x 299 x 135/ 242	Thermo electric
			HiPro Evolution A30G	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
RH 449 LDAG (Glass Door)	552 x 422 x 439	Absorption	Alternative:				
			HiPro Evolution N30G	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
RH 430 LG (Glass Door)	522 x 384 x 420	Absorption	HiPro Evolution A40G	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			Alternative:				
RH 440 LG (Glass Door)	554 x 401 x 456	Absorption	HiPro Evolution N40G	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N30G	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
CL 440 LGC (Glass Door)	554 x 401 x 450	Compressor	HiPro Evolution A30G	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
			Alternative:				
RH 430 LG (Glass Door)	522 x 384 x 420	Absorption	HiPro Evolution N30G	27L	520 x 384 x 415	406 x 278 x 114/ 222	NTE
			HiPro Evolution N40G	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
RH 440 LG (Glass Door)	554 x 401 x 456	Absorption	HiPro Evolution A40G	33L	550 x 405 x 466	436 x 299 x 135/ 242	Absorption
			Alternative:				
CL 440 LGC (Glass Door)	554 x 401 x 450	Compressor	HiPro Evolution N40G	33L	550 x 405 x 435	436 x 299 x 135/ 242	NTE
			HiPro Evolution N30G	27L	520 x 384 x 446	406 x 278 x 114/ 222	Absorption
CL 440 LGC (Glass Door)	554 x 401 x 450	Compressor	Hipro Alpha C40G	33L	550 x 405 x 481	436 x 299 x 135/ 242	Compressor
			Hipro Evolution C40G	33L	550 x 405 x 481	436 x 299 x 135/ 242	Compressor

*w/ DR + w/o DR: Referring to the depth with (including) Door Rack and without Door Rack.



PROFESSIONAL DOMETIC CRUISE LINE MINIBARS

Offer the ultimate cabin experience

Dressed in all-black, the Dometic HiPro Cruise Line offers a timeless look that complements any cabin interior. Totally silent, perfect for a undisturbed night’s sleep. It also boasts the lowest energy consumption in its class, so it saves you money too. Guests will benefit from access to neatly displayed snacks and beverages, thanks to a versatile layout. Ensure passenger satisfaction with our efficient, silent, and maintenance-free in-cabin minibars. Specifically designed for the cruise industry, it is no wonder these small-but-mighty refrigerators, with their advanced cooling technology, are so popular with cruise line owners and guests alike.



Plastic door racks
Adjustable transparent door racks.



Control panel
Easy to use control panel with status LED.



Lock (optional)
Secure storage of minibar contents.

HIPRO CRUISE LINE TECHNICAL DATA		
	CRUISE LINE N30S	CRUISE LINE N40S
MODEL		
Cooling technology	Thermoelectric	Thermoelectric
Model class (liter)	30	40
Storage volume (liter)	26	33
Door type	Metal sheet door	Metal sheet door
Door hinge	Available in right or left	Available in right or left
Product dimensions (H×W×D, mm)	520 x 384 x 415	550 x 405 x 435
Can be built-in/integrated	With ventilation	With ventilation
Sliding hinge kit	Yes	Yes
LED interior light	LED top light	LED top light
Input rating (W)	55	55
Energy consumption (kWh/24 h)	0.259	0.262
Noise level (dB(A))	0	0
Features	<ul style="list-style-type: none">NoiselessLow energy consumption1 x door rack1 x plastic shelfAdjustable shelf	<ul style="list-style-type: none">NoiselessLow energy consumption2 x door rack1 x plastic shelfAdjustable shelf



CRUISE LINE N30S



CRUISE LINE N40S



DOMETIC DRAWER MINIBARS



Patented design in two sizes

Convenient slide-out access, noiseless operation, low energy consumption: Dometic drawer minibars set new standards in design and efficiency. Dometic DM 20 is the world’s first noiseless 20-liter class drawer minibar. Having the same width as conventional 30-liter absorption minibars, it will easily replace them. Dometic DM 50 provides 50 liters capacity in an award-winning design featuring an automatic slide-out tray for snacks and mini bottles and an adjustable drawer for bottles and cans.

- Unique design for convenient slide-out access
- Thermoelectric cooling unit for low energy consumption
- Noiseless cooling comfort
- Patented and design awarded technology



DM 20 DA

TECHNICAL DATA		
	DM 20 DA/FA CRUISE LINE	DM 50 NTE D /F CRUISE LINE
MODEL		
Model class (liter)	20	50
Storage volume (liter)	15.8	45
Cabinet colors	Anthracite	Anthracite
Dimensions built-in version (H × W × D, in mm)	DM 20 D: 365 × 384 × 428 DM 20 F: 365 × 384 × 398	DM 50 NTE D: 418 × 550 × 517 DM 50 NTE F: 418 × 550 × 487
Can be built-in/integrated	●	●
LED interior light	●	●
Input rating (W)	52	75
Energy consumption (kWh/24 h)	0.20	0.25
Noise level (dB[A])	0	0
Features	<ul style="list-style-type: none">• Highly flexibel system of dividers and bottle fingers• DM 20 DA: with a decorative anthracite panel and handle• DM 20 FA: prepared for a decor panel to match the furniture design of the room	<ul style="list-style-type: none">• Highly flexibel system of dividers and bottle fingers• DM 50 NTE D: with a decorative anthracite panel and handle• DM 50 NTE F: prepared for a decor panel to match the furniture design of the room
Options	<ul style="list-style-type: none">• Lock	<ul style="list-style-type: none">• Lock



Pull-out cool

Removeable and smooth running sliding rails for convenient use.



Light the way

LED interior light – nicely features the snacks and beverages inside.



Organized storage

Simply slides out and self closing drawer provides easy access to the contents.





FROM STANDARD TO PREMIUM

The range of Dometic proSafe models

Security is an essential requirement for hotel guests, and one of the main reasons for choosing or discarding a destination and a hotel. The Dometic GROUP, aware of this, is always developing and improving all of its products in order to meet the needs of customers.

The latest product innovation Dometic has launched is a proSafe range which goes one step further in terms of design, functionality, technology and security. This proSafe range has a very modern design with a color display, an illuminated keypad, the latest anti-tampering system and a new website platform which offers the possibility to

operate the safe with the strictest security. The elegant cabinets of the new proSafe generation have rounded corners and edges for enhanced safety. Contemporary design

- Master key
- LED interior light
- iAudit system – unique in the industry
- Remote Emergency Opening System (REOS 2.0) – ultimate security and user comfort
- Battery level check



Premium Class

Excellence in form and function: Dometic innovations like iAudit tracking and the REOS Remote Emergency Opening System ensure security on all levels.



Standard Class

High security level combined with easy operation for perfect comfort and convenience.

PRODUCT FINDER – THE QUICK WAY TO FIND THE RIGHT PRODUCT

Laser-cut door

Our doors are precisely cut and crafted by a laser beam. This allows us to achieve 100% accuracy in dimensions and an extremely small clearance between the door and casing, making the door impossible to pry open.

Anti-Tamper system

With the anti-tampering system, Dometic offers a unique security feature for their models. All anti-tampering manipulation attempts are recorded in the electronic of the safe and can be tracked back at any time.

REOS code

REOS stands for Dometic's Remote Emergency Opening System. The emergency-opening system from Dometic is based on an innovative encoding system. The unique solution combines advanced electronics with state-of-the-art online technology to allow simple yet highly secure emergency opening by authorised hotel staff.

Premium iAudit

All operations effected on a safe must be documented – for your own security and for your insurance provider. This is where

Dometic's Premium iAudit system offers a truly convenient solution: the integrated microchip provides storage capacity for the last 1,000 events.

SAM

The unique Dometic safe management system (SAM) allows for iAudit Trail and one time emergency code generation (REOS) from a user friendly but PIN secured internet based software tool.

● Yes / – No / ○ Optional

WHAT'S IMPORTANT TO YOU?	PREMIUM CLASS	STANDARD CLASS
Easy operation	●	●
Motorised opening	●	●
LED interior light	●	●
LED display	●	●
Emergency opening with master key	●	●
Emergency opening with master code	●	●
Emergency opening with REOS Code	○	–
Anti-Tamper System	○	–
Premium iAudit	●	–
SAM	○	–
Laser-cut door	●	–
From page	32	36



SAFE TO SAY IT'S MORE CONVENIENT

PREMIUM CLASS IN-ROOM SAFES

DOMETIC PREMIUM CLASS SAFES

Protection for more privacy – comfortably and with absolute reliability. With a Dometic Premium Class proSafe, a hotel room becomes a perfectly private haven for the guest. A safe place for storage, conceived and implemented according to the newest standards. Its innovative and customisable design suits every hotel in a stylish way. Smooth surfaces and rounded edges make it easy to look after and give it long-lasting character. A color display and the integrated soft-touch keypad make operation easy. And a Premium

- LED interior light
- Laser-cut door and frame
- iAudit for convenient documentation
- Emergency opening with key and master code
- Remote Emergency Opening System (REOS 2.0)
– ultimate security and user comfort (optional)

Class proSafe also breaks new ground when it comes to protective properties: pioneering technology like the unique iAudit and the anti-tampering system ensure security on all levels. The demand for contemporary security systems with added convenience is supported by special features such as REOS 2.0 software with its emergency code-opening system (optional).



WIDE CHOICE OF MODELS AND SIZES


Dometic ProSafe MD series Premium Class safes are available in various sizes to suit different capacity demands, interior designs and installation conditions. Sizes range from 8.2 to 29 liters.



Batteries included
Dometic safes come ready to use.



Plug
Optional inside plug to charge mobile devices.



Automatic opening
Safe door opens automatically.



Fixing kit
Optional fixing kit for secure fastening.

TECHNICAL DATA				
	MODEL	MD 283	MD 363	MD 383
	Type of product	Electronic safe		
	Capacity (liters)	8.2	24	28
Exterior dimensions (H × W × D, mm)	165 × 280 × 235	190 × 360 × 410	190 × 380 × 450	
Interior dimensions (H × W × D, mm)	162 × 277 × 185	187 × 357 × 360	187 × 377 × 400	
Steel thickness (mm)	Door: 5.0 / Body 1.2	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5	
Net weight (kg)	6.1	10.2	11.3	
Keypad	ADA-compliant rubber keypad			
Display	White LED color display, 4-digit guest code, English language			
Locking mechanism	Two 18 mm solid steel bolts			
Locking system	Motorised with automatic opening			
Power	4 LR6/AA 1.5 V batteries (incl.)			
Cabinet color	Anthracite			
FEATURES				
LED interior light	●	●	●	
Laser cut technology	●	●	●	
Masterkey opening	●	●	●	
Mastercode opening	●	●	●	
Anti-tampering System	○	○	○	
REOS	○	○	○	
iAudit	●	●	●	
Laptop size	–	15"	17"	
OPTIONS				
	<ul style="list-style-type: none">• Left-hand hinge• Fixing Kit	<ul style="list-style-type: none">• Left-hand hinge• White color• Two steps emergency code opening (REOS)• Integrated socket (EU/US/UK/FR)• Fixing Kit	<ul style="list-style-type: none">• Left-hand hinge• White color• Two steps emergency code opening (REOS)• Integrated socket (EU/US/UK/FR)• Fixing Kit	

TECHNICAL DATA			
	MODEL	MD 408	MD 493
	Type of product	Electronic safe	
	Capacity (liters)	22.5	29
Exterior dimensions (H × W × D, mm)	190 × 405 × 350	190 × 490 × 370	
Interior dimensions (H × W × D, mm)	187 × 402 × 300	187 × 487 × 320	
Steel thickness (mm)	Door: 5.0 / Body 1.5	Door: 5.0 / Body 1.5	
Net weight (kg)	10.4	12.4	
Keypad	ADA-compliant rubber keypad		
Display	White LED color display, 4-digit guest code, English language		
Locking mechanism	Two 18 mm solid steel bolts		
Locking system	Motorised with automatic opening		
Power	4 LR6/AA 1.5 V batteries (incl.)		
Cabinet color	Anthracite		
FEATURES			
LED interior light	●	●	
Laser cut technology	●	●	
Masterkey opening	●	●	
Mastercode opening	●	●	
ANTI-TAMPERING SYSTEM	○	○	
REOS	○	○	
iAudit	●	●	
Laptop size	15"	17"	
OPTIONS			
	<ul style="list-style-type: none">• Left-hand hinge• White color• Two steps emergency code opening (REOS)• Integrated socket (EU/US/UK/FR)• Fixing Kit	<ul style="list-style-type: none">• Left-hand hinge• Fixing Kit	

● Yes / – No / ○ Optional

DOMETIC STANDARD CLASS SAFES

Robustly made with user-friendly features and functions

It puts hotel guests’ mind at rest to have a safe place for their valuables while travelling. Providing a secure space for important or valuable objects yet it is a distinctive feature when choosing a hotel room or suite. With a Standard Class proSafe, you can create a reliable spot in a guest room that is worth every penny. Security and functionality are paramount with all Dometic safe models. The Standard Class safe models offer your guests a high level of security thanks to their robust construction. Their simple and intuitive usability provides perfect comfort and convenience.

- Robust and reliable
- LED display
- LED interior light
- Master key and master code emergency opening
- Wide choice: vertical, horizontal, top-opening

DOMETIC PROSAFE MDL – VERTICAL OR HORIZONTAL

MDL 408



MDL 193

With quality and security at their core, these value-for-money in-room safes significantly enhance the security of existing hotel rooms.

- Value-for-money solution for upgrading hotel rooms
- Vertical or horizontal model – both with 18.4 liters capacity
- Easy installation inside a cabinet or on the wall
- Emergency opening with master code or master key
- Battery-low warning alerts users to change battery

DOMETIC PROSAFE MD 310 / 390 / 450 SAFE INVESTMENT

The doors on all the Standard Class safe models are precisely cut and crafted. Their robust construction and a locking system with extra-strong steel bolts leave no point of attack for burglars. The LED interior light minimises the risk of forgotten valuables. Fast and secure emergency opening is possible with a master key or master code (depending on the model).

- Robust, reliable construction for optimal safety
- LED interior light makes the contents visible at a glance
- Emergency opening with master key or master code



DOMETIC PROSAFE MDT TOP-OPENING SAFE

Part of the Dometic Standard Class range, the Dometic proSafe MDT 400 X top-opening safe provides a simple, yet ingenious solution that is easy to operate and safe to use. The top-opening drawer safe can be integrated in an existing furniture drawer and provides easy access to guests’ valuables. At the same time it meets the highest demands on ergonomic design, comfort and security with an LED inside light for standard, master key and master code opening possibility in case of emergency, digital LED illuminated keypad, four-digit code and top-opening stabilizer arm. An audio signal confirms that the safe is securely locked.

- Convenient access from above
- LED interior light makes the contents visible at a glance
- Enough room to fit laptop and tablet computers
- Ideal for installation into existing hotel room drawer
- Stabilizer arm for smooth opening and closing of the lid



Easy operation

The operation is easy to understand and explained via the pictogram.



Handle

Integrated handle for easy opening and closing.



Light the way

Standard LED interior lighting.



Soft close

Muted door closing.

			
TECHNICAL DATA			
MODEL	MD 310	MD 390	MD 450
Type of product	Electronic safe		
Capacity (liters)	9	31.5	30.4
Exterior dimensions (H × W × D, mm)	165 × 310 × 245	200 × 390 × 480	200 × 450 × 410
Interior dimensions (H × W × D, mm)	161 × 306 × 182	196 × 386 × 418	196 × 446 × 348
Steel thickness (mm)	Door: 5.0 / Body 2	Door: 5.0 / Body 2	Door: 5.0 / Body 2
Net weight (kg)	7.1	14.3	14.5
Keypad	Rubber keypad		
Display	Red LED 4-digit guest code, English language		
Locking mechanism	Two 19 mm steel bolts		
Locking system	Motorised with automatic opening		
Power	4 LR6/AA 1.5 V batteries (incl.)		
Cabinet color	Anthracite		
FEATURES			
Confirmation buzzer	●	●	●
LED interior light	●	●	●
Door handle opening	–	–	–
Masterkey opening	●	●	●
Mastercode opening	●	●	●
Anti-tampering System	–	–	–
REOS	–	–	–
iAudit	–	–	–
Laptop size	–	17"	15"
OPTIONS			
(available for all models)	<ul style="list-style-type: none">• Left-hand hinge• Fixing kit		

		
		
		
MDT 400X	MDL 408	MDL 193
Electronic safe		
9.7	18.4	18.4
130 x 400 x 350	190 x 405 x 300	405 x 190 x 300
75 x 380 x 300	187 x 402 x 245	402 x 187 x 245
Door: 3.0 / Body 1.5	Door: 4.0 / Body 1.5	
9	10	
Rubber keypad	Rubber keypad	
Red LED 4-digit guest code, English language	Red LED 4-digit guest code, English language	
Two 19 mm steel bolts	Two 18 mm solid steel bolts	
Motorised with automatic opening	Motorised	
4 LR6/AA 1.5 V batteries (incl.)	4 LR6/AA 1.5 V batteries (incl.)	
Anthracite	Anthracite	
●	–	–
●	–	–
–	●	●
●	●	●
●	●	●
–	–	–
–	○	○
–	○	○
15"	13"	13"
<ul style="list-style-type: none">Fixing kit	<ul style="list-style-type: none">Left-hand hingeFixing kitWhite cabinet color	<ul style="list-style-type: none">Left-hand hingeFixing kitWhite cabinet color

● Yes / – No / ○ Optional





THE DOMETIC DRAWBAR

Tailored to your taste

Re-creating the feeling of a perfect evening out in the comfort of your own kitchen means getting the details right. Like un-corking a good wine and serving it at the optimal temperature, at just the right moment. The Dometic DrawBar blends elegantly into your kitchen and adds a unique finishing touch to your home. It's an enticing detail that elevates every glass and turns it into a memorable experience.



reddot award
product design 2022



KEY FEATURES

A PERFECT WINE EXPERIENCE

For optimal serving temperature, select one of five pre-set options, professionally tailored for different types of wine: 5, 8, 11, 14 or 17 °C.

COMPACT WINE STORAGE

The Dometic DrawBar is always close at hand and fits up to five bottles, from long Riesling to large Champagne.

CONTROLLED STORING ENVIRONMENT

Powerful and efficient compressor cooling technology with electronic controls. Humidity-control tray further improves the storing environment.

DESIGNED TO STAND OUT

Soft illumination elegantly showcases your wine bottles and adds a touch of luxury to your kitchen.

PERFECT FIT

The Dometic DrawBar fits standard 60 cm wide cabinets. Glass or custom front panels ensure a refined and coordinated finish to your kitchen design.

THE DOMETIC DRAWBAR RANGE






Dometic DrawBar 5B
Black glass front



Dometic DrawBar 5C
Transparent glass front



Dometic DrawBar 5S
Custom cabinet front

DRAWBAR TECHNICAL DATA			
MODEL	DRAWBAR 5B	DRAWBAR 5C	DRAWBAR 5S
Storage volume (liter)	15	15	15
Product dimensions (H × W × D, mm)	140 × 556 × 541.5	140 × 556 × 541.5	140 × 556 × 541.5
Shelves	1 metal rack	1 metal rack	1 metal rack
Door lock	No	No	No
Climate class	16–32 °C (N)	16–32 °C (N)	16–32 °C (N)
Temperature setting (°C)	5–17	5–17	5–17
Defrost	Auto	Auto	Auto
Energy class	G	G	G
Noise level (dB)	45	45	45
Refrigerant	R600a	R600a	R600a
Power cord length (m)	1.9	1.9	1.9
Electrical specifications	45W, 220V~240V 50Hz	45W, 220V~240V 50Hz	45W, 220V~240V 50Hz

BUILT-IN UNDER COUNTER WINE COOLERS

A wine cooler that fits your lifestyle

Store your treasured wine collection in optimal conditions and allow it to take center stage in your home. Dometic wine coolers provide perfect conditions for wine storage and fit seamlessly in any home. The well-engineered cooling technology ensures that the chosen temperature is quickly achieved and reliably maintained. An effective air circulation system and automatic humidity control create the perfect climate for the wine to unfold its full bouquet and flavor. The minimalistic look of the Design range and sleek design of the Classic range of Dometic wine coolers can easily fit any space and provide optimal storage for your wine collection.



KEY FEATURES

DUAL ZONE

Preserve wines in two separate temperature zones (upper zone 4 °C–12 °C; lower zone 12 °C–22 °C).

BUILT-IN

Perfect for under-counter installation.

MINIMALISTIC DESIGN*

Fully black exterior with slim handle that discreetly fits under the counter.

CLASSIC DESIGN**











Stainless steel details that match the aesthetic of other appliances in the kitchen.

PRESENTATION LIGHTS

Showcase your collection by softly illuminating the bottles in each temperature zone.

* Design range

** Classic range

BUILT-IN RANGE TECHNICAL DATA						
						
	MODEL	C18B	D18B	C46B	D46B	D42B
	Storage volume (liter)	60	60	145	145	120
	Product dimensions (H × W × D, mm)	820 × 295 × 575	820 × 295 × 575	820 × 595 × 575	820 × 595 × 575	820 × 595 × 575
	Shelves	5 wooden shelves	5 wooden shelves	5 wooden shelves	5 wooden shelves	10 wooden shelves
Door lock	Yes (2 keys)	No	Yes (2 keys)	No	No	
Reversible door	Yes	Yes	Yes	Yes	Yes	
Climate class	10–32°C (SN)	10–32°C (SN)	10–32°C (SN)	10–32°C (SN)	10–32°C (SN)	
Winter safety system	Yes	Yes	No	No	Yes	
Temperature setting (°C)	Upper zone 4–12 Lower zone 12–22	Upper zone 4–12 Lower zone 12–22	Upper zone 4–12 Lower zone 12–22	Upper zone 4–12 Lower zone 12–22	Left side 4–22 Right side 4–22	
Defrost	Auto	Auto	Auto	Auto	Auto	
Energy class	G	G	G	G	G	
Noise level (dB)	39	39	39	39	39	
Refrigerant	R600a	R600a	R600a	R600a	R600a	
Power cord length (m)	1.8	1.8	1.8	1.8	1.8	
Electrical specifications	220V~240V 50Hz	220V~240V 50Hz	220V~240V 50Hz	220V~240V 50Hz	220V~240V 50Hz	

BUILT-IN LARGE CAPACITY WINE COOLERS

Optimal storage environment

For wine to unfold its full bouquet and flavor, both the storage conditions and the serving temperature must be right. Dometic wine coolers ensure the optimal environment for unlocking the wine’s full flavors and character. The temperature is accurately controlled thanks to electronic regulation and a constant humidity level is maintained between 50–70 % ensuring the corks don’t dry or mold. A fan circulates the air inside the wine cooler while the integrated carbon filter eliminates any potential odors. The “low emission” treatment of the triple-glazed doors on Dometic wine coolers stops ultraviolet rays that can damage and change the character of the wine.



KEY FEATURES

DUAL ZONE
Preserve wines in two separate temperature zones (5 °C–22 °C).

BUILT-IN
Suitable for both freestanding and built-in installation.

MINIMALISTIC DESIGN*
Fully black exterior with slim handle that discreetly fits under the counter.

CLASSIC DESIGN**
Stainless steel details that match the aesthetic of other appliances in the kitchen.

PRESENTATION LIGHTS
Showcase your collection by softly illuminating the bottles in each temperature zone.

* Design range

** Classic range



LARGE CAPACITY RANGE
TECHNICAL DATA

MODEL	C154F	D154F
Storage volume (liter)	418	418
Product dimensions (H × W × D, mm)	1756 × 595 × 675	1756 × 595 × 675
Shelves	14 full-extension wooden shelves	14 full-extension wooden shelves
Door lock	Yes (2 keys)	No
Reversible door	Yes	Yes
Climate class	10–38 °C (SN-ST)	10–38 °C (SN-ST)
Winter safety system	Yes	Yes
Temperature setting (°C)	Upper zone 5–22 Lower zone 5–22	Upper zone 5–22 Lower zone 5–22
Defrost	Auto	Auto
Energy class	G	G
Noise level (dB)	40	40
Refrigerant	R600a	R600a
Power cord length (m)	1.8	1.8
Electrical specifications	220V~240V 50Hz	220V~240V 50Hz

FREE-STANDING WINE COOLERS

Precise and stylish storage for your wine

As well as excellent wine storage, a Dometic free-standing wine cooler is an attractive addition to any home. It has a classic design, with stainless steel accents and a recessed handle on the side of the door. The 3-layer glass door protects wine from damaging ultra-violet light. It stores up to 75 bottles of wine at the perfect drinking temperature (5–22°C). Coated racks safely hold each wine bottle. Its well-engineered heating and cooling technology ensure your chosen temperature is quickly achieved and reliably maintained, while an effective air circulation system creates a perfect climate for ageing your wine to unfold its bouquet and flavor.



KEY FEATURES

STORE AND AGE WINE

Provide the perfect climatic conditions for wine storage and ageing.

COATED WINE RACKS

Six coated racks are shaped to securely cradle each wine bottle.

SINGLE TEMPERATURE ZONE

Single-zone wine cooler stores wines at temperatures between 5 °C and 22 °C.

SLEEK DESIGN

Control settings are conveniently and neatly integrated into the door.

UV PROTECTION

Triple pane glass door protects wine from damaging ultra-violet light.

SOFT ILLUMINATION

White LED light softly illuminates the black interior and showcases the bottles inside.

FREE-STANDING RANGE TECHNICAL DATA

MODEL	C35F	C55F	C75F
Storage volume (liter)	80	142	190
Product dimensions (H × W × D, mm)	855 × 483 × 483	1295 × 483 × 483	1645 × 483 × 483
Shelves	6	10	19
Bottle stopper	Yes	Yes	Yes
Door lock	No	No	No
Reversible door	No	No	No
Climate class	10–38°C (SN-ST)	10–38°C (SN-ST)	10–38°C (SN-ST)
Winter safety system	Yes	Yes	Yes
Defrost	Auto	Auto	Auto
Energy class	G	G	G
Noise level (dB)	41	42	42
Refrigerant	R600a	R600a	R600a
Power cord length (m)	1.8	1.8	1.8
Electrical specifications	220V~240V 50Hz	220V~240V 50Hz	220V~240V 50Hz

THE DOMETIC WINE COOLER ACCESSORIES RANGE



Presentation shelf
Width: 595 mm

Black shelf caps
Width: 295 mm


Black shelf caps
Width: 595 mm



Replacement carbon filter

Humidity tray







DOMETIC MOBAR 550

Dometic MoBar 550 is the ultimate mobile beverage center. It comes with accessories inspired by professional bartenders, and allows you to comfortably host large groups of people in your outdoor living space. With its spacious presentation and preparation area, robust stainless-steel design, heavy-duty wheels, and ergonomic handles, the MoBar can be placed at the heart of any outdoor event.

Adjustable temperature settings and dual-zone cooling provide versatility, while the generous storage capacity of its main compartment can hold up to 39 bottles or 113 cans. Up to additionally 22 bottles or 32 cans can be stored in an insulated rotomoulded ice basket, so you need never worry about running out of chilled drinks.



KEY FEATURES

MODULAR DRY STORAGE

Large dry storage area to keep everything you need within easy reach.

LARGE COLD STORAGE CAPACITY

Dual-zone refrigerator compartment comfortably holds up to 39 bottles of wine.

PROFESSIONAL ACCESSORIES

Developed in collaboration with professional bartenders.

SUPERIOR ICE RETENTION

Rotomolded presentation basket will keep bottles ice-cold.

MOOD ENHANCING LIGHTING

Keeps drinks visible, accesible, and looking enticing.

SPACIOUS PRESENTATION AREA

Prepare, mix, and present like a professional.



DOMETIC MOBAR 300

Dometic MoBar 300 is the mid-sized model of the series. It allows you to easily entertain friends and family on your patio. With its extension table, robust stainless-steel design, heavy-duty wheels, and ergonomic handles, the MoBar can be placed at the heart of any outdoor event.

Adjustable temperature setting and a space-efficient refrigeration compartment that can hold up to 19 bottles or 70 cans. Up to additionally 22 wine bottles or 32 cans can be stored in an insulated rotomolded ice basket, so you never need to worry about running out of chilled drinks.



KEY FEATURES

CONVENIENT COLD STORAGE CAPACITY
Refrigerator compartment comfortably holds up to 19 winebottles or 72 cans.

SUPERIOR ICE RETENTION
Rotomolded presentation basket will keep bottles ice-cold.

DRY STORAGE
To keep everything you need within easy reach.

MOOD ENHANCING LIGHTING
Keeps drinks visible, accesible, and looking enticing.

SPACIOUS PRESENTATION AREA
Prepare, mix, and present like a professional.



DOMETIC MOBAR 50

The Dometic MoBar 50 is the most compact model of the series. Its size makes it perfect to easily entertain an intimate group of people on a terrace, balcony for any get-together or pop-up event.

Its spacious presentation area and robust stainless-steel design, heavy-duty wheels, and ergonomic handles allow the MoBar 50 to be placed at the heart of any outdoor event. Up to 22 wine bottles or 32 33cl cans can be stored in its insulated rotomolded ice basket, so you need never worry about running out of chilled drinks.



KEY FEATURES

SUPERIOR ICE RETENTION

Rotomolded presentation basket will keep bottles ice-cold.

EASY TO MOVE

Always where you need it.

AMPLE STORAGE AREA

To keep everything you need within easy reach.


DOMETIC MOBAR
SPECIFICATIONS

MODEL	MOBAR 50	MOBAR 300	MOBAR 550
Insulated presentation basket	Roto molded with PU foam insulation		
	24 L/25 qt stores 22 wine bottles/32 cans		
Refrigerator/ wine cabinet	n/a	20" single-zone, 2 wood shelves	20" dual-zone, 2 wood shelves, 1 metal shelf
	n/a	19 wine bottles 70 cans	39 wine bottles (14 upper, 25 lower) 155 cans (56 upper, 99 lower)
	n/a	Lock, illumination	Lock, illumination
Includes	Serving tray, cutting board, speed rail	Cutting board, speed rail, extension table	Serving tray, cutting board, speed rail, fresh ice container
Dimensions H x W x D	903 x 646 x 517 mm 25.6 x 22.4 x 35.4 in	980 x 717 x 622 (970 with side board) 28.3 x 24.4 (38.2) x 38.6 in	980 x 1249 x 624 mm 49.2 x 24.4 x 38.6 in
Additional accessories	Protective covers, speed rails, extension table, cutting board, serving tray, fresh ice container, and illumination light module.		

THE DOMETIC MOBAR ACCESSORIES RANGE



Extension table
MoBar 50



Extension table
MoBar 300 / 550



Cutting board
MoBar 50 / 300 / 550



Speed rail
MoBar 50



Speed rail
MoBar 300 / 550



Serving tray
MoBar 50 / 300 / 550



Fresh ice container
MoBar 50 / 300 / 550



Protective covers
MoBar 50
MoBar 300
MoBar 550





FRESH ON ARRIVAL

Boost the quality of your food delivery

For businesses who would like to keep taking orders have two options for cold delivery: a fully refrigerated truck or a mobile alternative. While full vehicle conversions are common, the process can be costly, complex and rely on numerous components from various sources and services. From regular passenger sedans to small delivery vans and mid-sized fleet vehicles our mobile cooling range offers a fast and flexible cold chain alternative that requires little to no installation that can be ready for making deliveries today. If you’re transporting

food absolute temperature precision is required. HACCP (Hazard Analysis Critical Control Points) is an internationally binding quality management system for foodstuffs. That’s why we provide proven cooling and freezing solutions for a variety of temperature-sensitive applications.

DOMETIC CFX3

Years of innovation for cooling perfection

Keep your product at the right temperature at all times. We can provide you with a mobile refrigeration solution. Our portable compressor coolers fit for demanding cooling tasks in harsh environments. Being very powerful they provide excellent cooling performance, even at extremely high ambient temperatures. The CFX3 features durable and lightweight fender frames to protect the cooler. Strong, spring-loaded aluminum handles make it easy to lift and carry. Adjust the cooling temperature of your CFX3 on the TFT display screen or download the Dometic app and roam free without worry.

- Heavy-duty yet lightweight construction, fender frame protected edges and stainless steel hinges
- CFX3 smartphone app allows temperature control via WiFi or Bluetooth and provides performance history
- Powerful VMSO3 compressor cooling technology
- 3-stage dynamic battery protection system prevents a dead car battery or allows a deep draw on dual batteries
- Generous storage capacity of 25 – 99 l
- Built-in TFT user interface displays operating status

12 / 24 V


Suitable for solar

230 V

Controlled via WiFi or Bluetooth



TECHNICAL DATA					
COMPRESSOR COOLERS	CFX3 25	CFX3 45	CFX3 55	CFX3 75DZ	CFX3 100
Total Volume (l, approx.) incl. for fresh food (l)	25	46	55	75 (45/30)	99
Connections	12 / 24 V DC / 100 – 240 V AC				
Temperature range	+20 to –22				
Power input (watts, approx.)	46	52	50	59	73
Energy Class (A – G)	C	C	C	D	D
Refrigerant	R 134a	R 134a	R 134a	R 134a	R 134a
Refrigerant quantity	32 g	42 g	45 g	59 g	60 g
CO2 equivalent	0.046 t	0.060 t	0.064 t	0.084 t	0.086 t
Global warming potential (GWP)	1430	1430	1430	1430	1430
Weight (kg, approx.)	12.7	18.7	20.4	27.8	29.6
Protection class	IP44, colour display IP64				
Test marks	TÜV/GS, E-certified (Automotive EMC Directive)				







DOMETIC TCX


Coolboxes with active battery protection - also warms food

Fresh design with soft-touch controls and a digital display – these are the hallmarks of the new Dometic Tropicool TCX series. The new generation of our popular high-tech coolers features a lot of inner values: intelligent power-save circuit, individually adjustable temperature, and an active battery protection system that prevents excessive discharging of the vehicle battery. Tropicool TCX coolers provide cooling up to 27 °C (TCX 07 25 °C) below the ambient temperature. If desired, they will also keep food warm. Activating the heating function supplies temperatures of up to +65 °C.

- Cooling up to 27 °C (TCX 07 25 °C) below ambient temperature, heating up to +65 °C
- 12 / 24 / 230-volt connection as standard with priority circuit for mains operation
- Intelligent power-save circuit
- Active battery protection prevents deep discharge of the vehicle battery
- TC special electronics with a soft-touch control panel



TECHNICAL DATA				
THERMO ELECTRIC COOLERS	TCX 07	TCX 14	TCX 21	TCX 35
Total Volume (l, approx.)	7	15	21	33
Connections	12 V DC / 230 V AC			
Consumption				
at 12 volts DC (watts)	47	46	46	46
at 24 volts DC (watts)	–	50	50	50
at 230 volts AC (watts)	55	64	64	64
Energy Class (A – G)	–	E	E	F
Temperature range				
Cooling below ambient temperature (°C, approx.)	max. 25	max. 27	max. 27	max. 27
Heating	+65	+50 to +65	+50 to +65	+50 to +65
Weight (kg, approx.)	2.8	5.0	6.0	10.0
Test marks	TÜV/GS, E-certified (Automotive EMC Directive)			







DOMETIC COOL-ICE

Passive coolers in heavy duty quality

Dometic passive coolers feature an extremely effective insulation system. Fitted with ice packs or ice cubes, they can keep groceries fresh for several days. The new facelift models of the popular series are even cooler. The modular storage system, consisting of wire baskets and dividers, organises the content. Available for all new Cool-Ice models (43 to 111 litres).

- Thick insulation and unique sealing design means ice lasts longer
- Hygienic and easy to clean with large diameter drain plug
- With convenient extended handle and wheels (CI 85W)
- Strong, seamless, food grade polyethylene construction.
- Integrated polyethylene feet
- Practical tie down points below handles
- Integrated hinges with stainless steel rods and durable rubber latches



TECHNICAL DATA				
ICEBOXES	WCI 33	CI 42	CI 70	CI 85W
Total Volume (l, approx.)	33	43	71	86
Dimensions (W x H x D, mm)	400 x 440 x 360	640 x 355 x 418	690 x 432 x 515	840 x 432 x 525
Weight (kg, approx.)	5.7	8.7	11.8	14.6
Material	UV-resistant plastic			

PORTABLE LITHIUM BATTERY

SUPERIOR PERFORMANCE – RELIABLE POWER SUPPLY

The Dometic PLB40 Ah Lithium Iron Phosphate battery delivers high levels of mobile power. Designed for powering powered coolers and other 12 V appliances. Thanks to its lightweight and compact design you can enjoy true independence.

For more information see [dometic.com](https://www.dometic.com)



TIP
Use our electric cool boxes also when there is no energy available



THE DOMETIC DELIBOX

Chef approved

Dometic is launching an unconventional transport box which can preserve the restaurant quality and temperature of the food until it reaches the customer. The product, the Dometic Food Delivery Box is currently in development, and will provide a better method of home delivery of prepared food and open up business opportunities for restaurateurs and transport companies, allowing them to enter into the ever growing food delivery business. The box, which is mounted on mopeds and motorcycles, has both heating and cooling elements that keep the food warm or cold and maintain the restaurant quality of the dish under transportation until it reaches the consumer.



CLEAN AIR
DeliBox is equipped with cold plasma surface disinfection technology that reduce bacteria build-up & smell.



TEMP PERFECT
Active warming and cooling ensure correct temperature of all food transported and food safety.



CONNECT-EN-ROUTE
Keep track of every delivery and monitor the temperature during transport.



DUAL TEMP
Dual temperature zones with active temperature control. Transport both hot and cold dishes at the same time.



Dometic DeliBox

Active heating guarantees ideal food temperature


- Active warming ensures the correct temperature of all food transported and food safety
- Dual temperature zones. Transport both hot and ambient dishes at the same time
- DeliBox is equipped with cold plasma surface disinfection technology that reduce bacteria build-up & smell
- Food graded interior guarantees that the inner compartment is approved and safe for food use
- Can be mounted on most mopeds, scooters, and motorized vehicles
- Outer dimensions: W500 x H560 x D611,5 mm
- Inner dimensions: W422,4 x H482,5 x D425 mm
- Volume: 87 l
- Weight: 18 kg



Dometic DeliBox dual

Dual compartment system – Separate heating and cooling areas

- Active warming and cooling ensures the correct temperature of all food transported and food safety
- The connectivity feature keeps track of every delivery and monitors the temperature during transport
- Dual temperature zones. Transport hot and cold dishes at the same time
- DeliBox is equipped with cold plasma surface disinfection technology that reduce bacteria build-up & smell
- Food graded interior guarantees that the inner compartment is approved and safe for food use
- Can be mounted on most mopeds, scooters, and motorized vehicles
- Outer dimensions: W500 x H560 x D688,5 mm
- Inner dimensions: W422,4 x H482,5 x D425 mm
- Volume: 87 l
- Weight: 23 kg



Dual temperature zones
Isolated shelf divides the inner compartment into two zones – one hot and one ambient.



Stay-in-place
Smart dividers keep food in place, even when the road's bumpy.



Power supply
Runs on a 12V or external battery pack.



Superior storage capacity
Large capacity and temperature control offers the possibility for multiple delivery trips.

**GERMANY, AUSTRIA
& SWITZERLAND
Dometic GmbH**

In der Steinwiese 16
D-57074 Siegen
Tel +49 (0) 271 692 134 / 142
+49 (0) 271 692 127
Fax +49 (0) 271 692 302
Mail hospitality@dometic.de

**BELGIUM, NETHERLANDS
& LUXEMBOURG
Dometic GmbH**

In der Steinwiese 16
D-57074 Siegen
Tel +49 (0) 271 692 131
+32 (0) 478 6414 68
Fax +49 (0) 271 692 302
Mail hospitality@dometic.de

**MIDDLE EAST & AFRICA
Dometic Middle East FZCO**

P.O. Box 17860
S-D 6, Jebel Ali Freezone
Dubai
Tel +971 4 883 3858
Fax +971 4 883 3868
Mail hospitality@dometic.ae

**SWEDEN
Dometic Scandinavia AB**

Gustaf Melins gata 7
S-421 31 Västra Frölunda
Tel +46 31 7341100
Fax +46 31 7341101
Mail info@dometic.se

**DENMARK
Dometic Denmark A/S**

Nordensvej 15, Taulov
DK-7000 Fredericia
Tel +45 75585966
Fax +45 75586307
Mail info@dometic.dk

**FINLAND
Dometic Finland Oy**

Valimotie 15
FIN-00380 Helsinki
Tel +358 20 7413220
Fax +358 9 7593700
Mail hospitality@dometic.com

**NORWAY
Dometic Norway AS**

Elveveien 30B
3262 Larvik
Tel +47 33428450
Fax +47 33428459
Mail firmapost@dometic.no

**POLAND
Dometic Poland Sp. z o.o**

ul. Puławska 435A
PL-02-801 Warszawa
Tel +48 22 414 3200
Fax +48 22 414 3201
Mail info@dometic.pl

**HUNGARY
Dometic Zrt. Sales Office**

H-1147 Budapest
Kerékgyártó u. 5.
Tel +36 1 468 4400
Fax +36 1 468 4401
Mail budapest@dometic.hu

**RUSSIA & CIS
Dometic Rus LLC**

18 Malaya Pirogovskaya str. bld 1,
office 505
Moscow 119435
Tel +7 495 374 8896
Fax +7 495 916 5653
Mail info@dometic.ru

**RUSSIA
Miko**

Leningradskiy pr. 30/2
125040 Moscow
Tel +7 495 651 09 45
Mail officemoscow@miko-hotelservices.com

**GREECE
Samaras**

Anaximandrou 73
54250 Thessaloniki
Tel +30 231 032 1091
Mail polief96@otenet.gr

**FOR SALES IN EASTERN EUROPE,
TURKEY & ISRAEL, PLEASE CONTACT
DOMETIC POLAND**

**FRANCE
Dometic SAS**

6 Avenue du Poteau
Batiment B1
60300 Chamant
Tel +33 3 44633521/33
Mail lodging@dometic.fr

**ITALY
Dometic Italy S.r.l.**

Via Virgilio, 3
I-47122 Forlì (FC)
Tel +39 0543 754901
Fax +39 0543 754983
Mail vendite@dometic.it

**SPAIN
Dometic Spain S.L.**

Avda. Sierra del Guadarrama, 16
E-28691 Villanueva de la Cañada
Madrid
Tel +34 91 833 6089
Fax +34 900 100 245
Mail info@dometic.es

**PORTUGAL
Dometic Spain, S.L.**

Branch Office em Portugal
Rot. de São Gonçalo nº 1– Esc. 12
2775-399 Carcavelos
Tel +351 219 244 173
Fax +351 219 243 206
Mail info@dometic.pt

**UNITED KINGDOM
Dometic UK Ltd.**

Dometic House, The Brewery,
Blandford St. Mary
Dorset DT11 9LS
Tel +44 344 626 0133
Fax +44 344 626 0143
Mail lodging@dometic.co.uk

For global requests, please mail us at: hospitality@dometic.com

We distribute our products in around 100 markets. Please ask for your contact point if not listed here, or check our website Dometic.com

